



INVISI^Ω SWIVEL

The Evolution of Fishing Swivels



MASTER CATALOG

FRESH • SALT • FLY • ICE PRODUCTS

FRESHWATER | SALT | FLY | ICE



The Clear Choice

Description	Test Lbs	Test Kgs	Max. Line Dia. Inches	Max. Line Dia. mm	Quantity	Part #
Invisa Swivel 12lb “CRYSTAL CLEAR” (Qty 5)	12	5	0.017	0.45	5	IN1272C
Invisa Swivel 25lb “CRYSTAL CLEAR” (Qty 5)	25	11	0.023	0.6	5	IN2572C
Invisa Swivel 35lb “CRYSTAL CLEAR” (Qty 5)	35	16	0.031	0.8	5	IN3572C
Invisa Swivel 55lb “CRYSTAL CLEAR” (Qty 5)	55	25	0.035	0.9	5	IN5572C
Invisa Swivel 80lb “CRYSTAL CLEAR” (Qty 3)	80	36	0.043	1.1	3	IN8072C
Invisa Swivel 100lb “CRYSTAL CLEAR” (Qty 3)	100	45	0.055	1.4	3	IN10072C
Invisa Swivel 150lb “CRYSTAL CLEAR” (Qty 3)	150	68	0.062	1.6	3	IN15072C
Invisa Swivel 200lb “CRYSTAL CLEAR” (Qty 3)	200	90	0.066	1.7	3	IN20072C



- Neutrally Buoyant
- Virtually Indestructible
- Invisible In Water
- Non-Metallic, Non-Corrosive
- Perfect for Braid to Fluoro/Mono
- Maintenance Free



FRESHWATER | SALT | FLY | ICE



Description	Test Lbs	Test Kgs	Max. Line Dia. Inches	Max. Line Dia. mm	Quantity	Part #
Invisa Swivel 12lb “BLOODY RED” (Qty 5)	12	5	0.017	0.45	5	IN12RED
Invisa Swivel 25lb “BLOODY RED” (Qty 5)	25	11	0.023	0.6	5	IN25RED
Invisa Swivel 35lb “BLOODY RED” (Qty 5)	35	16	0.031	0.8	5	IN35RED
Invisa Swivel 55lb “BLOODY RED” (Qty 5)	55	25	0.035	0.9	5	IN55RED

Made to match Cajun Line, Power Pro, Momoi, and Berkley and Sufix

- Neutrally Buoyant
- Virtually Indestructible
- Non-Metallic, Non-Corrosive
- Perfect for Braid to Fluoro/Mono
- Maintenance Free




Caught in Ontario, Canada with an InvisaSwivel. Thanks Chad!



“Trolling flies like I do the invisaSwivel has saved me many a leader. If you pick even the smallest piece of grass or a weed the fly tends to rotate causing your leader to twist up ruining your leader and causing you lost time in the water. I take about 3-4 feet of 6lb test leader and my swivel then add another 3-4 feet of leader to the other end of the swivel tie my fly on and I’m rolling. I never leave home without them.”

- “Uncle Wes” Malmberg
Author/Columnist/Pro-Staff Angler

FRESHWATER | SALT | FLY | ICE



Description	Test Lbs	Test Kgs	Max. Line Dia. Inches	Max. Line Dia. mm	Quantity	Part #
Invisaswivel 12lb “NUCLEAR CHARTREUSE” (Qty 5)	12	5	0.017	0.45	5	IN12CHAR
Invisaswivel 25lb “NUCLEAR CHARTREUSE” (Qty 5)	25	11	0.023	0.6	5	IN25CHAR
Invisaswivel 35lb “NUCLEAR CHARTREUSE” (Qty 5)	35	16	0.031	0.8	5	IN35CHAR
Invisaswivel 55lb “NUCLEAR CHARTREUSE” (Qty 5)	55	25	0.035	0.9	5	IN55CHAR

Made to match Cajun Line, Power Pro and Berkley and Sufix

- Neutrally Buoyant
- Virtually Indestructible
- Non-Metallic, Non-Corrosive
- Perfect for Braid to Fluoro/Mono
- Maintenance Free



*Invisaswivel – Tournament Tested
Capt. Dustin Lee*



FRESHWATER | SALT | FLY | ICE

Invisa Swivel Inshore Kit (Qty 20)

Invisa Swivel Offshore Kit (Qty 12)

- Tackle Box
- Clipper/Neck Strap



Description	Test Lbs	Test Kgs	Quantity	Part #
Invisa Swivel Inshore Kit (Qty 20)	12-55	5-25	5 of each size/20 total	INSKIT5
Invisa Swivel Offshore Kit (Qty 12)	80-200	36-90	3 of each size/12 Total	OFFKIT3



InvisaSwivel vs. Walleye in Winnipeg




InvisaSwivel vs. Dorado in Uruguay



“Knot2Kinky” Single Strand Leader Wire

No Kinks, Ever

THE PERFECTION LOOP



THE CLINCH KNOT



THE ALBRIGHT KNOT




Description	Test Lbs	Test Kgs	Dia. Inch	Dia. mm	Length feet	Length m	Color	Part #
Knot 2 Kinky 6lb 15ft	6	2.7	0.008	0.203	15	4.6	Black Oxide	NT00715C
Knot 2 Kinky 12lb 15ft	12	5.4	0.01	0.254	15	4.6	Black Oxide	NT00815C
Knot 2 Kinky 18lb 15ft	18	8.2	0.012	0.305	15	4.6	Black Oxide	NT00915C
Knot 2 Kinky 25lb 15ft	25	11.4	0.014	0.357	15	4.6	Black Oxide	NT01015C
Knot 2 Kinky 35lb 15ft	35	15.9	0.015	0.381	15	4.6	Black Oxide	NT01215C
Knot 2 Kinky 45lb 15ft	45	20.4	0.017	0.432	15	4.6	Black Oxide	NT01415C
Knot 2 Kinky 55lb 15ft	55	25	0.018	0.457	15	4.6	Black Oxide	NT01615C
Knot 2 Kinky 65lb 15ft	65	29.5	0.02	0.508	15	4.6	Black Oxide	NT01815C
Knot 2 Kinky 75lb 15ft	75	34	0.023	0.584	15	4.6	Black Oxide	NT02015C
Knot 2 Kinky 100lb 15ft	100	45.4	0.027	0.686	15	4.6	Black Oxide	NT02615C
Knot 2 Kinky 6lb 30ft	6	2.7	0.008	0.203	30	9.2	Black Oxide	NT00730C
Knot 2 Kinky 12lb 30ft	12	5.4	0.01	0.254	30	9.2	Black Oxide	NT00830C
Knot 2 Kinky 18lb 30ft	18	8.2	0.012	0.305	30	9.2	Black Oxide	NT00930C
Knot 2 Kinky 25lb 30ft	25	11.4	0.014	0.357	30	9.2	Black Oxide	NT01030C
Knot 2 Kinky 35lb 30ft	35	15.9	0.015	0.381	30	9.2	Black Oxide	NT01230C
Knot 2 Kinky 45lb 30ft	45	20.4	0.017	0.432	30	9.2	Black Oxide	NT01430C
Knot 2 Kinky 55lb 30ft	55	25	0.018	0.457	30	9.2	Black Oxide	NT01630C
Knot 2 Kinky 65lb 30ft	65	29.5	0.02	0.508	30	9.2	Black Oxide	NT01830C
Knot 2 Kinky 75lb 30ft	75	34	0.023	0.584	30	9.2	Black Oxide	NT02030C
Knot 2 Kinky 100lb 30ft	100	45.4	0.027	0.686	30	9.2	Black Oxide	NT02630C

- Kink/Bite Resistant • Knottable • Super-Elastic • Never Corrodes
- Great for Pike, Musky, Kingfish, Wahoo, Barracuda, Shark and other toothy fish




“Knot2Kinky” 7-Strand Leader Wire

No Kinks, Ever



Description	Test Lbs	Test Kgs	Dia. Inch	Dia. mm	Length ft	Length m	Color	Part #
Knot 2 Kinky 1X7 6lb 10ft	6	2.7	0.0102	0.259	10	3	Black Oxide	NT1X700610
Knot 2 Kinky 1X7 12lb 10ft	12	5.4	0.0111	0.282	10	3	Black Oxide	NT1X701210
Knot 2 Kinky 1X7 18lb 10ft	18	8.2	0.0138	0.35	10	3	Black Oxide	NT1X701810
Knot 2 Kinky 1X7 25lb 10ft	25	11.4	0.0144	0.365	10	3	Black Oxide	NT1X702510
Knot 2 Kinky 1X7 6lb 30ft	6	2.7	0.0102	0.259	30	9.2	Black Oxide	NT1X700630
Knot 2 Kinky 1X7 12lb 30ft	12	5.4	0.0111	0.282	30	9.2	Black Oxide	NT1X701230
Knot 2 Kinky 1X7 18lb 30ft	18	8.2	0.0138	0.35	30	9.2	Black Oxide	NT1X701830
Knot 2 Kinky 1X7 25lb 30ft	25	11.4	0.0144	0.365	30	9.2	Black Oxide	NT1X702530



- Kink/Bite Resistant • Knottable
- Super-Elastic • Never Corrodes
- Great for Pike, Musky, Kingfish, Wahoo, Barracuda, Shark and other toothy fish


“We use our Mercury-powered SeaVee 390 as a tool to publish Florida Sport Fishing Magazine, to film and produce Florida Sport Fishing TV, and to compete in a number of prestigious tournaments. With so much at stake we simply can’t afford not to fish the best, which is why we count on Knot2Kinky titanium wire to keep us connected.”

- Capt Mike Genoun



“Knot2Kinky” Single Strand Pre-Made Leaders

No Kinks, Ever



“The Knot2Kinky wires and leaders work great for Dutch pike! They outperform and outlast anything on the market and even the lightest ones offer full protection against pike teeth.”
 - Bert Voster, Poseidon Fly Fishing
 The Netherlands

Heavy Duty – Dual Rotation Ball Bearing Swivels

- Staylok Snap • Stainless Steel Crimps
- Shrinkage Tubes over crimps
- Line protectors on line loops

Description	Test Lbs	Test Kgs	Dia. Inch	Dia. mm	Length Inch	Length cm	Color	Quantity	Part #
Knot 2 Kinky Pre-Tied Leader 15lb 6in (Qty 1) Single-Strand	15	6.8	0.01	0.254	6	15.2	Black Oxide	1	K2K015061
Knot 2 Kinky Pre-Tied Leader 15lb 6in (Qty 3) Single-Strand	15	6.8	0.01	0.254	6	15.2	Black Oxide	3	K2K015063
Knot 2 Kinky Pre-Tied Leader 15lb 12in (Qty 1) Single-Strand	15	6.8	0.01	0.254	12	30	Black Oxide	1	K2K015121
Knot 2 Kinky Pre-Tied Leader 15lb 12in (Qty 3) Single-Strand	15	6.8	0.01	0.254	12	30	Black Oxide	3	K2K015123
Knot 2 Kinky Pre-Tied Leader 15lb 18in (Qty 1) Single-Strand	15	6.8	0.01	0.254	18	45.7	Black Oxide	1	K2K015181
Knot 2 Kinky Pre-Tied Leader 15lb 18in (Qty 3) Single-Strand	15	6.8	0.01	0.254	18	45.7	Black Oxide	3	K2K015183
Knot 2 Kinky Pre-Tied Leader 30lb 6in (Qty 1) Single-Strand	30	13.6	0.015	0.381	6	15.2	Black Oxide	1	K2K030061
Knot 2 Kinky Pre-Tied Leader 30lb 6in (Qty 3) Single-Strand	30	13.6	0.015	0.381	6	15.2	Black Oxide	3	K2K030063
Knot 2 Kinky Pre-Tied Leader 30lb 12in (Qty 1) Single-Strand	30	13.6	0.015	0.381	12	30	Black Oxide	1	K2K030121
Knot 2 Kinky Pre-Tied Leader 30lb 12in (Qty 3) Single-Strand	30	13.6	0.015	0.381	12	30	Black Oxide	3	K2K030123
Knot 2 Kinky Pre-Tied Leader 30lb 18in (Qty 1) Single-Strand	30	13.6	0.015	0.381	18	45.7	Black Oxide	1	K2K030181
Knot 2 Kinky Pre-Tied Leader 30lb 18in (Qty 3) Single-Strand	30	13.6	0.015	0.381	18	45.7	Black Oxide	3	K2K030183
Knot 2 Kinky Pre-Tied Leader 50lb 12in (Qty 1) Single-Strand	50	22.7	0.018	0.457	12	30	Black Oxide	1	K2K050121
Knot 2 Kinky Pre-Tied Leader 50lb 12in (Qty 3) Single-Strand	50	22.7	0.018	0.457	12	30	Black Oxide	3	K2K050123
Knot 2 Kinky Pre-Tied Leader 50lb 18in (Qty 1) Single-Strand	50	22.7	0.018	0.457	18	45.7	Black Oxide	1	K2K050181
Knot 2 Kinky Pre-Tied Leader 50lb 18in (Qty 3) Single-Strand	50	22.7	0.018	0.457	18	45.7	Black Oxide	3	K2K050183
Knot 2 Kinky Pre-Tied Leader 75lb 12in (Qty 1) Single-Strand	75	34	0.023	0.584	12	30	Black Oxide	1	K2K075121
Knot 2 Kinky Pre-Tied Leader 75lb 12in (Qty 3) Single-Strand	75	34	0.023	0.584	12	30	Black Oxide	3	K2K075123
Knot 2 Kinky Pre-Tied Leader 75lb 18in (Qty 1) Single-Strand	75	34	0.023	0.584	18	45.7	Black Oxide	1	K2K075181
Knot 2 Kinky Pre-Tied Leader 75lb 18in (Qty 3) Single-Strand	75	34	0.023	0.584	18	45.7	Black Oxide	3	K2K075183
Knot 2 Kinky Pre-Tied Leader 100lb 12in (Qty 1) Single-Strand	100	45.3	0.027	0.686	12	30	Black Oxide	1	K2K100121
Knot 2 Kinky Pre-Tied Leader 100lb 12in (Qty 3) Single-Strand	100	45.3	0.027	0.686	12	30	Black Oxide	3	K2K100123
Knot 2 Kinky Pre-Tied Leader 100lb 18in (Qty 1) Single-Strand	100	45.3	0.027	0.686	18	45.7	Black Oxide	1	K2K100181
Knot 2 Kinky Pre-Tied Leader 100lb 18in (Qty 3) Single-Strand	100	45.3	0.027	0.686	18	45.7	Black Oxide	3	K2K100183





"I am very impressed with aquateko's line of products. The knot2kinky leader is indestructible, and lets you catch fish after fish without wasting time retying leaders when the bite is on.

I never used swivels in the past when inshore fishing because their visible footprint cost me fish when the fishing got tough. The invisswivel will not spook fish when the fishing gets tough and light line and leader is the only way to succeed. Plus it keeps twist out of my braid allowing me to worry about fishing and not about line twist."

*- Jose Chavez
Professional Angler, Hobie Fishing World Championship 2012*





www.invisaswivel.net



www.knot2kinky.com

aquateko

tel 904.273.7200
sales@aquateko.com

WWW.AQUATEKO.COM