

ESTD ⁷⁵ YEARS 1948



RULE YOUR WATER

Freshwater | Saltwater | Fly | Travel

Best Rods On Earth

2023



ESTD **75** YEARS 1948

MOVE FORWARD.

It's what we've done each and every day here at St. Croix Rod for the last 75 years in our unrelenting quest to give anglers the upper hand.

A lot happens during any given day in our St. Croix North and South factories.

We take the best moments of discovery, learn from the rest, and move forward to the next day where the materials, technologies and processes may change but the goal remains the same: improving the angling experience.

We're proud of our 75 years in business and the control we command over our rod-manufacturing process – handcrafting the Best Rods on Earth® right here in North America.

We're proud that we've been owned by the same family for the last 45 of those years.

Above all though, we're grateful to our anglers for the trust and confidence you've placed in us to add value to your precious time and experiences on the water. That's what drives us every day, because at St. Croix Rod, your passions are our passions...

and we're just getting started.



Contents ★ New model for 2023

02 | The St. Croix Brand

04 | Technologies

06 | Rod Features & Materials

08 | Service & Warranty

10 | Freshwater Rods

12-Legend® Xtreme

14-Legend® X

16-Legend Elite®

18-Legend Elite® Panfish

20-Legend Elite® Musky

★ 22-Legend Tournament® Bass

★ 24-Legend Tournament® Walleye

★ 26-Legend Tournament® Pike

★ 28-Legend Tournament® Musky

30-Legend® Glass

★ 32-Avid Series® Walleye

★ 34-Avid Series® Panfish

36-Avid Series® Spinning

38-Victory

40-Premier® Spinning

42-Premier® Casting

44-Mojo Bass

46-Mojo Bass Glass

48-Mojo Yak

50-Mojo Musky Casting & Trolling

★ 52-Onchor

54-Eyecon®

56-Eyecon® Trolling

58-Panfish Series

60-Trout Series

62-Bass X

64-Triumph®

66-Triumph® Musky

68-Triumph® Salmon & Steelhead

70 | Travel Rods

72-Avid Trek

74-Trout Pack

76-Triumph® Travel

78 | Saltwater Rods

80-Legend® Surf

82-Avid Series® Surf

84-Seage

86-Triumph® Surf

88-Legend® Xtreme Inshore

★ 90-Legend Tournament® Inshore

92-Avid Series® Inshore

94-Mojo Inshore

96-Triumph® Inshore

★ 98-Rift Salt

★ 100-Rift Jig

102-Mojo Salt

104-Mojo Jig

106 | Fly Rods

108-Imperial® USA

110-Imperial® Salt

112-Mojo Trout

114-Mojo Bass Fly

116 | Fishing Systems

★ 112-Sole Saltwater

★ 114-X-Trek Freshwater



TECH & TECHNIQUE


Here's where you wish you paid a little more attention in science class. St. Croix flexes its engineering muscle by operating the most advanced R&D department in the industry. Investing in emerging composite materials and utilizing the latest manufacturing processes, we have created many of the industry's biggest performance breakthroughs, and continue to explore new ways to make fishing better. Lighter, stronger and more responsive rods all begin with these advancements. But all you need to know is that our technology drives our mission to build the Best Rods On Earth.®

Exclusive Technologies



INTEGRATED POLY CURVE® TECHNOLOGY

Eliminates all the transitional points in the rod blank, providing smoother actions, increased strength and greater sensitivity.




IPC® blanks have a more uniform wall thickness from tip to butt.



ADVANCED REINFORCING TECHNOLOGY™

Exotic carbon fiber material prevents ovaling and adds 10x strength without increasing blank diameter or weight.



ART™ significantly improves the hoop strength of the blank, preventing it from deforming or "ovaling" under severe load. ART is featured in the slim-ferrule design by St. Croix.



FORTIFIED RESIN SYSTEM

Advanced super-resin and blank curing system prevents microbuckling by keeping fibers in proper alignment, providing a 33% increase in strength vs. standard resins.



TAPER ENHANCEMENT TECHNOLOGY

Precision cut, curved blank patterns create rods with better action and improved sensitivity.



VEIL TECHNOLOGY

A tri-bread blend of carbon fiber, fiberglass, and explicit resin combined to exponentially reduce the effects of exterior impacts on blank integrities. This trilogy of materials, when combined, increases the durability of a rod in an event of an outside impact from a lead weight, rock, or any hard surface impact to the blank.




GRASP TECHNOLOGY

Take hold and take control longer with St. Croix's exclusive GRASP seat. Designed and built to position the wrist and keep the power fishing angler in the best position at all times, GRASP allows you to fish longer, fish harder, and react when the moment strikes. Designed by St. Croix, found exclusively on St. Croix products.



Rod Features



ACTION

The "Action" of a rod is determined by where a rod flexes along the blank. Faster action rods flex mostly near the tip. Moderate action rods flex more near the middle of the blank. Slower action rods flex down into the butt section.

UL	ULTRA LIGHT
L	LIGHT
ML	MEDIUM LIGHT
M	MEDIUM
MH	MEDIUM HEAVY
H	HEAVY
XH	EXTRA HEAVY

POWER

The "Power" of a rod refers to how much pressure it takes to flex the rod. Different rod powers are engineered to efficiently handle a certain range of lure weights and line sizes. To select a rod power that will perform best for you, simply narrow your choices to rods designed to cast the weight of lures—and sizes of lines—you'll fish with most often.

Proprietary Materials



Reaction bait specific blanks designs to reduce weight and emphasize parabolic bending rod profiles.

- A hybrid blank design consisting of SCIV+ and Linear S-Glass.
- Carbon crisp rod feel with pure glass rod parabolic performance under fighting load.
- Reduced weight in comparison to similar Linear S-Glass rods.



Custom blanks, designed for power fishing to finesse applications from a lineage of legendary proprietary materials.

- A harmonious blend between SCIV and SCVI carbon materials.
- Durability without sacrificing weight and sensitivity on the water.
- St. Croix's most species diverse material spanning the globe in on water applications.



A fine choice if you are a serious angler who demands high-performance and value.

- High-modulus, high-strain carbon fiber
- Produces sensitive and lightweight rods with greater durability



For the discriminating angler who appreciates exotic performance.

- Super high-modulus, high-strain carbon fiber
- Efficient material adds power with minimal weight
- Used only to complement other carbon materials, as it is too high in modulus to be used as primary material
- Includes FRS Technology



Ideal for the angler who insists on fishing only with top-grade rods.

- High-modulus, high-strain carbon fiber
- Produces extremely light and sensitive rods
- Similar to the SCV, without the carbon-matte scrim
- Includes FRS Technology



Technology and outstanding performance without a high cost.

- Proprietary carbon fiber composition with an increased strain rate, higher flexural strength, and refined resin yielding the strongest, lightest, and most sensitive SCII to date
- Multi-species material and our most popular material with proven versatility and durability catch after catch



Made for those who outfish their buddies and rely on their rods to do it.

- Features resin that significantly increases strength in compression during the hookset and flexural strength as the rod is under load
- Incorporates externally overlaid ART™ Technology to construct the highest level of carbon fiber density ever used by St. Croix
- The finest blank material, exclusive to St. Croix
- Includes FRS Technology



A tailored engineered blank for a true upper hand on the water.

- The perfect marriage between SCIII and SCVI materials.
- Lightest and most sensitive rods, without compromising durability.
- Strategically placed materials throughout the blank design.



Ideal for anglers who need moderate actions or a rod with a forgiving, flexible tip.

- Super-premium 100% linear S-glass
- Stronger and lighter than ordinary E-glass
- Creates rods with moderate actions and/or greater tip flex



SERVICE & WARRANTY

At St. Croix, we value the trust our customers have in our products and our company. We seek to reward that trust by providing the best service and support available in the industry.



BEST RODS ON EARTH®

Service

If there is one thing we're most proud of here at St. Croix, it's our service. When you invest in a St. Croix rod, you also invest in a relationship. We'll do everything possible to ensure your complete satisfaction. We stand by our craftsmanship with some of the finest warranties in the business.

Reach out to us, we would be happy to help.

Email: customercenter@stcroixrods.com

Phone: 800.826.7042

Register your rod at StCroixRods.com

Warranty Options



EXCELLERATOR PROGRAM

For rods still within their warranty periods. FAST & EASY.



SILVER STAR PROGRAM

Can't send us pictures? For a \$25 shipping and handling fee,* we will repair or replace your rod getting you back on the water as soon as possible.

**Customer also pays return shipping*



GOLD STAR PROGRAM

Is your rod outside of the warranty or older than 15 years?

This plan is for you.



GOLD STAR + PROGRAM

Rod damaged beyond repair? Not to worry. Our upgrade plan makes it easy to move up to a higher-performing rod with a new warranty.

Call For More Information.





BEST RODS ON EARTH[®]

FRESHWATER



WATER



LEGEND[®] XTREME

SPINNING & CASTING



ROD



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
SILICON CARBIDE

SECONDARY RING MATERIAL
SILICON CARBIDE

PRIMARY FRAME MATERIAL
CARBON FIBER

SECONDARY FRAME MATERIAL
TITANIUM

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
CARBON FIBER

SECONDARY NUT MATERIAL
ALUMINUM

HANDLE

PRIMARY MATERIAL
ST. CROIX PROPRIETARY MATERIAL

SECONDARY MATERIAL
XS[®]

ACCENT MATERIAL
ALUMINUM

BUTT CAP
RUBBER



Black Coral




Handle measurements shown in inches

LEGEND[®] XTREME CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
XFC68MF	6'8"	M	FAST	10-17	¼-½	1	1	\$665
XFC68MXF	6'8"	M	X-FAST	8-14	¼-½	1	1	\$670
XFC70MF	7'	M	FAST	10-17	¼-½	1	2	\$670
XFC70MHF	7'	MH	FAST	12-20	⅜-1	1	2	\$675
XFC71MHXF	7'1"	MH	X-FAST	12-20	¼-¾	1	2	\$685
XFC74HF	7'4"	H	FAST	14-25	⅜-1 ½	1	3	\$700
XFC76MHMF	7'6"	MH	MOD. FAST	12-25	⅜-1 ¼	1	3	\$700

LEGEND[®] XTREME SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
XFS63MXF	6'3"	M	X-FAST	8-17	⅜-1	1	4	\$665
XFS68MXF	6'8"	M	X-FAST	4-8	1/16-⅜	1	4	\$665
XFS610MLXF	6'10"	ML	X-FAST	6-10	⅛-½	1	4	\$665
XFS70MF	7'	M	FAST	4-10	⅛-⅜	1	4	\$665
XFS73MLXF	7'3"	ML	X-FAST	4-10	⅛-⅜	1	4	\$675
XFS76MF	7'6"	M	FAST	6-12	¼-½	1	5	\$685



LEGEND[®] X

CASTING & SPINNING



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

RING MATERIAL
SILICON CARBIDE

FRAME MATERIAL
TITANIUM

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON


HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

BUTT CAP
CORK COMPOSITE



Relentless Olive



Handle measurements shown in inches

LEGEND[®] X CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
XLC68MXF	6'8"	M	X-FAST	8-14	1/4-5/8	1	1	\$455
XLC68MF	6'8"	M	FAST	10-17	1/4-5/8	1	1	\$455
XLC68MHF	6'8"	MH	FAST	12-20	3/8-1	1	1	\$455
XLC610MXF	6'10"	M	X-FAST	10-14	3/16-5/8	1	1	\$465
XLC70MF	7'	M	FAST	10-17	1/4-5/8	1	1	\$465
XLC70MHF	7'	MH	FAST	12-20	3/8-1	1	2	\$465
XLC71MHXF	7'1"	MH	X-FAST	12-20	1/4-3/4	1	2	\$465
XLC74HF	7'4"	H	FAST	14-25	3/8-1 1/2	1	3	\$480
XLC76MHMF	7'6"	MH	MOD. FAST	12-25	3/8-1 1/4	1	3	\$480
XLC711HMF	7'11"	H	MOD. FAST	14-30	1/2-2	1	3	\$485
XLC88HF	8'8'	H	FAST	40-80	1/2-1 1/2	1	4	\$495

LEGEND[®] X SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
XLS68MXF	6'8"	M	X-FAST	6-12	3/16-5/8	1	5	\$465
XLS610MLXF	6'10"	ML	X-FAST	6-10	1/8-1/2	1	5	\$470
XLS610MXF	6'10"	M	X-FAST	6-12	3/16-5/8	1	5	\$470
XLS70MF	7'	M	FAST	6-12	3/16-5/8	1	6	\$470
XLS70MHF	7'	MH	FAST	8-14	3/8-3/4	1	6	\$475



LEGEND ELITE[®]

SPINNING & CASTING

ROD



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

RING MATERIAL
SILICON CARBIDE

FRAME MATERIAL
TITANIUM

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK


BUTT CAP
PREMIUM EVA

LEGEND ELITE[®] CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
EC68MXF	6'8"	M	X-FAST	8-14	1/4-5/8	1	5	\$445
EC68MF	6'8"	M	FAST	10-17	1/4-5/8	1	5	\$445
EC68MHF	6'8"	MH	FAST	12-20	3/8-1	1	5	\$445
EC610MXF	6'10"	M	X-FAST	10-14	3/16-5/8	1	5	\$460
EC70MF	7'	M	FAST	10-17	1/4-5/8	1	5	\$460
EC70MHF	7'	MH	FAST	12-20	3/8-1	1	5	\$460
EC71MHXF	7'1"	MH	X-FAST	12-20	1/4-3/4	1	5	\$460
EC74HF	7'4"	H	FAST	14-25	3/8-1 1/2	1	6	\$470
EC76MHMF	7'6"	MH	MOD. FAST	14-25	3/8-1 1/4	1	6	\$470
EC711HMF	7'11"	H	MOD. FAST	14-30	1/2-2	1	6	\$485



Forest Green Pearl



Handle measurements shown in inches

LEGEND ELITE[®] SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ES60MLF	6'	ML	FAST	4-10	1/8-3/8	1	1	\$425
ES60MF	6'	M	FAST	6-12	3/16-5/8	1	1	\$425
ES63MLXF	6'3"	ML	X-FAST	4-8	1/16-3/8	1	1	\$425
ES63MXF	6'3"	M	X-FAST	6-10	1/8-1/2	1	1	\$425
ES66MLF	6'6"	ML	FAST	4-10	1/8-3/8	1	2	\$435
ES66MLF2	6'6"	ML	FAST	4-10	1/8-3/8	2	2	\$455
ES66MF	6'6"	M	FAST	6-12	3/16-5/8	1	2	\$435
ES66MF2	6'6"	M	FAST	6-12	3/16-5/8	2	2	\$455
ES68MXF	6'8"	M	X-FAST	6-12	3/16-5/8	1	2	\$445
ES610MLXF	6'10"	ML	X-FAST	6-10	1/8-1/2	1	3	\$455
ES610MXF	6'10"	M	X-FAST	6-12	3/16-5/8	1	3	\$455
ES70LF	7'	L	FAST	4-8	1/16-1/4	1	2	\$445
ES70LF2	7'	L	FAST	4-8	1/16-1/4	2	2	\$465
ES70MLF	7'	ML	FAST	4-10	1/8-3/8	1	3	\$445
ES70MLF2	7'	ML	FAST	4-10	1/8-3/8	2	3	\$465
ES70MF	7'	M	FAST	6-12	3/16-5/8	1	3	\$455
ES70MF2	7'	M	FAST	6-12	3/16-5/8	2	3	\$475
ES70MHF	7'	MH	FAST	8-14	3/8-3/4	1	4	\$455
ES70MHF2	7'	MH	FAST	8-14	3/8-3/4	2	4	\$475
ES71MHXF	7'1"	MH	X-FAST	8-14	5/16-3/4	1	4	\$455
ES76MLXF	7'6"	ML	X-FAST	4-10	1/8-3/8	1	4	\$485
ES76MLXF2	7'6"	ML	X-FAST	4-10	1/8-3/8	2	4	\$505
ES76MF	7'6"	M	FAST	6-12	3/16-5/8	1	4	\$485
ES76MF2	7'6"	M	FAST	6-12	3/16-5/8	2	4	\$515



LEGEND ELITE[®] PANFISH

SPINNING

ROD



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

RING MATERIAL
SILICON CARBIDE

FRAME MATERIAL
TITANIUM

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

HANDLE


PRIMARY MATERIAL
SUPER GRADE CORK

SECONDARY MATERIAL
CARBON FIBER

BUTT CAP
PREMIUM EVA



Forest Green Pearl



Handle measurements shown in inches

LEGEND ELITE® PANSFISH SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LEP56ULF	5'6"	UL	FAST	2-6	1/32-3/16	1	1	\$385
LEP60ULF	6'	UL	FAST	2-6	1/32-3/16	1	1	\$385
LEP64LXF	6'4"	L	X-FAST	2-6	1/16-3/16	1	1	\$400
LEP69LF	6'9"	L	FAST	4-8	1/16-1/4	1	1	\$410
LEP70LXF	7'	L	X-FAST	2-6	1/16-3/16	1	2	\$410



LEGEND ELITE[®] MUSKY

CASTING



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

RING MATERIAL
SILICON CARBIDE

FRAME MATERIAL
TITANIUM

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

BUTT CAP
PREMIUM EVA



Forest Green Pearl



Handle measurements shown in inches

LEGEND ELITE[™] MUSKY CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LEM76XHF	7'6"	XH	FAST	50-100	4-10	1	1	\$635
LEM80MHF	8'	MH	FAST	30-65	3/4-3	1	1	\$635
LEM86MHF	8'6"	MH	FAST	30-65	3/4-3	1	2	\$635
LEM86HF	8'6"	H	FAST	40-80	3-8	1	2	\$640
LEM90MHF	9'	MH	FAST	30-65	3/4-3	1	3	\$650
LEM90HF	9'	H	FAST	40-80	3-8	1	3	\$655



NEW for 2023

LEGEND TOURNAMENT[®] BASS

CASTING & SPINNING

ROD



BLANK

PRIMARY MATERIAL
SCIV+ CARBON FIBER
SECONDARY MATERIAL
iACT GLASS*

GUIDES

RING MATERIAL
ALCONITE
FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON
PRIMARY NUT MATERIAL
ALUMINUM
SECONDARY NUT MATERIAL
STAINLESS STEEL


HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK
ACCENT MATERIAL
CORK COMPOSITE
BUTT CAP
CORK COMPOSITE




Tournament Blue Pearl

Legend Tournament Bass Casting



Legend Tournament Bass Spinning



Handle measurements shown in inches

LEGEND TOURNAMENT[®] BASS CASTING RODS

MODEL	COLLAPSED LGTH.	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LBTC68MXF	-	JERKBAITS	6'8"	M	X-FAST	8-20	1/4-5/8	1	1	\$295
LBTC71MHF	-	ALL-IN	7'1"	MH	FAST	12-20	3/8-3/4	1	2	\$300
LBTC72MHMF	-	FINESSE CARBON CRANKER	7'2"	MH	MOD. FAST	12-20	5/16-7/8	1	2	\$315
LBTC72MHM	-	CARBON CRANKER	7'2"	MH	MOD.	12-20	3/8-7/8	1	2	\$315
*LBTC72MM	-	FINESSE GLASS CRANKER	7'2"	M	MOD.	8-14	1/4-3/4	1	2	\$315
*LBTC72HM	-	RIP-N-CHATTER	7'2"	H	MOD.	12-20	1/2-1 1/4	1	2	\$315
LBTC73HXF	-	POWER FINESSE	7'3"	H	X-FAST	14-65	3/8-7/8	1	2	\$320
LBTC73MHF	-	WORKHORSE	7'3"	MH	FAST	14-65	5/16-1	1	2	\$320
LBTC73HMF	-	FLIP-CHAT-CRANK	7'3"	H	MOD. FAST	14-65	3/8-1	1	3	\$320
LBTC74HF	-	SLOP-N-FROG	7'4"	H	FAST	14-65	3/8-1 1/2	1	3	\$325
*LBTC74MHM	-	POWER GLASS CRANKER	7'4"	MH	MOD.	8-20	3/8-1	1	2	\$325
LBTC75MHF	-	WARHORSE	7'5"	MH	FAST	14-65	3/8-1	1	3	\$330
LBTC76MHF	-	FLIP'N	7'6"	H	MOD. FAST	14-65	3/8-1	1	4	\$335
LBTC710HM	-	BIG CRANKER	7'10"	H	MOD.	8-16	3/8-1 1/8	1	5	\$345
LBTC710XHM	-	MAG CRANKER	7'10"	XH	MOD.	8-16	7/8-2 1/2	1	6	\$345
✓ LBTC710HF	-	LIGHT SWIMBAIT	7'10"	H	FAST	14-80	3/4-2	1	7	\$350
✓ LBTC710XHF	-	MID SWIMBAIT	7'10"	XH	FAST	14-80	2-5	1	7	\$360
✓ LBTC86XXHFT	90"	MAG SWIMBAIT	8'6"	XXH	FAST	14-80	4-8	1	8	\$395
LBTC711HMF	-	POWER FLIP'N	7'11"	H	MOD. FAST	14-80	1/2-2 1/2	1	6	\$340

LEGEND TOURNAMENT[®] BASS SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LBTS68MXF	PINPOINT	6'8"	M	X-FAST	6-20	3/16-5/8	1	1	\$290
LBTS610MLXF	DROPSHOT FINESSE	6'10"	ML	X-FAST	6-20	1/16-3/8	1	1	\$290
LBTS71MF	VERSATILE	7'1"	M	FAST	6-20	3/16-5/8	1	1	\$300
LBTS73MHF	POWER VERSATILE	7'3"	MH	FAST	6-20	3/8-3/4	1	3	\$300
LBTS73MLXF	DROPSHOT FINESSE XL	7'3"	ML	X-FAST	6-20	1/16-3/8	1	2	\$300
LBTS73MXF	POWER FINESSE	7'3"	M	X-FAST	6-20	3/16-1/2	1	2	\$300
LBTS710MLXF	HAIR JIG	7'10"	ML	X-FAST	6-20	1/16-3/8	1	4	\$335
LBTS710MMF	SWIMMING BAITS	7'10"	M	MOD. FAST	6-20	3/8-5/8	1	4	\$335

*Select models feature iAct glass construction.
 ✓Select models feature Grasp handle construction.

NEW for 2023

LEGEND TOURNAMENT[®] WALLEYE

CASTING & SPINNING



BLANK

PRIMARY MATERIAL
SCIV+ CARBON FIBER

GUIDES

RING MATERIAL
ALCONITE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
ALUMINUM

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

ACCENT MATERIAL
CORK COMPOSITE

BUTT CAP
CORK COMPOSITE




Tournament Blue Pearl

Legend Tournament Walleye Casting



1

Legend Tournament Walleye Spinning



1

2

3

4

Handle measurements shown in inches

LEGEND TOURNAMENT® WALLEYE CASTING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LWTC70MHM	BOUNCE-N-TROLL	7'	MH	MOD.	6-20	1/2-3	1	1	\$290

LEGEND TOURNAMENT® WALLEYE SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LWTS58HF	HEAVY METAL	5'8"	H	FAST	6-20	3/8-1	1	1	\$270
LWTS63MLXF	VERTICAL JIG	6'3"	ML	X-FAST	4-12	1/16-3/8	1	1	\$280
LWTS63MXF	MID VERTICAL JIG	6'3"	M	X-FAST	6-10	1/8-1/2	1	1	\$280
LWTS66MLF	JIG-N-RIG	6'6"	ML	FAST	4-10	1/8-3/8	1	2	\$280
LWTS66MF	BIG WATER	6'6"	M	FAST	6-12	1/4-5/8	1	2	\$280
LWTS68MXF	SNAP JIG	6'8"	M	X-FAST	6-12	3/16-5/8	1	3	\$280
LWTS70MLF	RIGGIN'	7'	ML	FAST	4-10	1/8-3/8	1	3	\$280
LWTS70MM	CRANKIN'	7'	M	MOD.	6-12	1/4-5/8	1	3	\$270
LWTS70LXF	FINESSE	7'	L	X-FAST	4-12	1/16-1/4	1	2	\$280
LWTS71MMF	JIG-N-RAP	7'1"	M	MOD. FAST	6-20	3/16-5/8	1	4	\$285
LWTS71MF	RIP-N-RAP	7'1"	M	FAST	6-20	5/16-7/8	1	4	\$285
LWTS73MLXF	MID RIG	7'3"	ML	X-FAST	6-20	1/16-3/8	1	3	\$295
LWTS73MXF	MID JIG	7'3"	M	X-FAST	6-20	1/16-1/2	1	4	\$295
LWTS76MLXF	SLIP-N-RIG	7'6"	ML	X-FAST	6-20	1/8-3/8	1	4	\$300
LWTS76MLXF2	SLIP-N-RIG	7'6"	ML	X-FAST	6-20	1/8-3/8	2	4	\$315
LWTS80MLF2	DRIFT-N-FLOAT	8'	ML	FAST	6-20	1/8-3/8	2	4	\$320



NEW for 2023

LEGEND TOURNAMENT[®] PIKE

CASTING

ROD



BLANK

PRIMARY MATERIAL
SCIV+ CARBON FIBER

GUIDES

RING MATERIAL
ALCONITE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
ALUMINUM

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

ACCENT MATERIAL
CORK COMPOSITE

BUTT CAP
CORK COMPOSITE



Tournament Blue Pearl



Handle measurements shown in inches

LEGEND TOURNAMENT® PIKE CASTING RODS

MODEL	COLLAPSED LGTH.	TECHNIQUE	LGTH. (M.)	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (GR.)	PCS.	HANDLE	PRICE
LTPC213HF	-	COVER SNIPER	2,13	H	FAST	14-25	15-55	1	1	\$340
LTPC213XHXF	-	CLASSIC JERK	2,13	XH	X-FAST	14-30	40-110	1	3	\$350
LTPC216MHF	-	VERSATILE SPECIAL	2,16	MH	FAST	12-20	15-40	1	1	\$360
LTPC223HF	-	SLOP-N-TAIL	2,23	H	FAST	14-25	20-80	1	2	\$370
LTPC238XHF	-	SWIMBAIT SPECIAL	2,38	XH	FAST	30-65	40-140	1	4	\$380
LTPC259XXHFT	227 CM	MAGNUM SWIMBAIT	2,59	XXH	FAST	40-80	100-300	1	5	\$430



NEW for 2023

LEGEND TOURNAMENT[®] MUSKY

CASTING

ROD



BLANK

PRIMARY MATERIAL
SCIV+ CARBON FIBER

GUIDES

RING MATERIAL
ALCONITE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
ALUMINUM

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK


SECONDARY MATERIAL
PREMIUM EVA

ACCENT MATERIAL
CORK COMPOSITE

BUTT CAP
CORK COMPOSITE



Tournament Blue Pearl



Handle measurements shown in inches

LEGEND TOURNAMENT[®] MUSKY CASTING RODS

MODEL	COLLAPSED LGTH.	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
✓ LMTSC710MF	-	TWITCH STICK	7'10"	M	FAST	40-80	¾-3	1	1	\$380
✓ LMTSC86MLF	-	LIL' DAWG	8'6"	ML	FAST	40-80	¾-2	1	2	\$390
✓ LMTSC90MLF	-	BANTAM BAIT	9'0"	ML	FAST	40-80	¾-2	1	2	\$400
✓ LMTSC76HF	-	THE JERK II	7'6"	H	FAST	65-80	¾-6	1	3	\$380
✓ LMTFC76HF	-	THE JERK II	7'6"	H	FAST	65-80	¾-6	1	8	\$385
✓ LMTSC83HMF	-	LIPSTICK II	8'3"	H	MOD. FAST	65-80	¾-4	1	4	\$405
✓ LMTSC80MHF	-	TOP-N-TAIL	8'0"	MH	FAST	65-80	¾-3	1	3	\$390
✓ LMTSC80HF	-	SWITCH BLADE	8'0"	H	FAST	65-80	¾-6	1	3	\$395
✓ LMTFC80HF	-	SWITCH BLADE	8'0"	H	FAST	65-80	¾-6	1	8	\$400
✓ LMTSC86MHF	-	LONG RANGER	8'6"	MH	FAST	65-80	¾-6	1	5	\$410
✓ LMTSC86HF	-	SLING BLADE	8'6"	H	FAST	65-100	2-8	1	5	\$420
✓ LMTFC86HF	-	SLING BLADE	8'6"	H	FAST	65-100	2-8	1	9	\$425
✓ LMTFC86XHF	-	BIG DAWG	8'6"	XH	FAST	80-120	6-12	1	10	\$430
✓ LMTSC90MHF	-	GRINDER	9'0"	MH	FAST	65-80	¾-6	1	6	\$435
✓ LMTFC90HF	-	BIG NASTY	9'0"	H	FAST	65-100	2-8	1	10	\$440
✓ LMTFC90XHF	-	BLUE OX	9'0"	XH	FAST	80-120	8-24	1	11	\$450
✓ LMTSC90MHFT	94"	BIG FOOT	9'0"	MH	FAST	65-80	¾-6	1	6	\$470
✓ LMTSC96MHFT	94"	SLING SHOT II	9'6"	MH	FAST	65-80	¾-6	1	7	\$475
✓ LMTFC86HFT	90"	TOOTH FAIRY	8'6"	H	FAST	65-100	2-8	1	9	\$460
✓ LMTFC90HFT	94"	BEEF STICK	9'0"	H	FAST	65-100	2-8	1	10	\$475
✓ LMTFC96HFT	94"	BLADEMASTER II	9'6"	H	FAST	65-100	2-8	1	11	\$500

✓ Select models feature Grasp handle construction.



LEGEND[®] GLASS

CASTING & SPINNING

ICAST 2018
New Product Showcase
Best of Category WINNER

ROD



BLANK

PRIMARY MATERIAL
LINEAR S-GLASS

GUIDES

PRIMARY RING MATERIAL
ALCONITE

SECONDARY RING MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

BUTT CAP
CORK COMPOSITE



Honey Pearl



Handle measurements shown in inches

LEGEND® GLASS CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LGC610MM	6'10"	M	MOD.	8-14	1/4-3/4	1	1	\$265
LGC610MHM	6'10"	MH	MOD.	10-20	3/8-1	1	1	\$265
LGC72MM	7'2"	M	MOD.	8-14	1/4-3/4	1	2	\$275
LGC72HM	7'2"	H	MOD.	12-25	1/2-1 3/8	1	2	\$275
LGC74MHM	7'4"	MH	MOD.	10-20	3/8-1	1	2	\$275
LGC711HM	7'11"	H	MOD.	12-25	1/2-1 3/8	1	3	\$275

LEGEND® GLASS SPINNING RODS


MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
LGS610MM	6'10"	M	MOD.	6-12	1/4-5/8	1	5	\$255
LGS72MM	7'2"	M	MOD.	8-14	1/4-3/4	1	5	\$275



NEW for 2023

AVID SERIES® WALLEYE

CASTING & SPINNING



BLANK

PRIMARY MATERIAL
SCIII+ CARBON FIBER

GUIDES

RING MATERIAL
STAINLESS STEEL

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK


ACCENT MATERIAL
CORK COMPOSITE

BUTT CAP
CORK COMPOSITE




Carbon Pearl

Avid Series
Walleye Casting



1

Avid Series
Walleye Spinning



1

2

3

4

5

6

Handle measurements shown in inches

AVID SERIES[®] WALLEYE CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ASWC70MHM	7'	MH	MOD.	6-12	½-3	1	1	\$210

AVID SERIES[®] WALLEYE SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ASWS58HF	5'8"	H	FAST	8-17	¾-1	1	1	\$200
ASWS63MLXF	6'3"	ML	X-FAST	4-8	¼-¾	1	1	\$200
ASWS63MXF	6'3"	M	X-FAST	6-10	½-½	1	1	\$200
ASWS66MLF	6'6"	ML	FAST	4-10	½-¾	1	2	\$210
ASWS66MF	6'6"	M	FAST	6-12	¼-⅝	1	2	\$210
ASWS68MXF	6'8"	M	X-FAST	6-12	⅜-⅝	1	3	\$215
ASWS70LXF	7'0"	L	X-FAST	4-8	½-¾	1	2	\$220
ASWS70MLF	7'0"	ML	FAST	4-10	½-¾	1	3	\$220
ASWS70MM	7'0"	M	MOD.	6-12	¼-⅝	1	3	\$220
ASWS71MMF	7'1"	M	MOD. FAST	6-20	⅜-⅝	1	5	\$220
ASWS71MF	7'1"	M	FAST	6-20	⅝-⅞	1	5	\$220
ASWS73MLXF	7'3"	ML	X-FAST	4-10	½-¾	1	3	\$225
ASWS73MXF	7'3"	M	X-FAST	6-20	⅝-⅞	1	5	\$225
ASWS76MLXF	7'6"	ML	X-FAST	4-10	½-¾	1	4	\$235
ASWS76MLXF2	7'6"	ML	X-FAST	4-10	½-¾	2	4	\$240
ASWS80MLF2	8'0"	ML	FAST	4-10	½-¾	2	4	\$250



NEW for 2023

AVID SERIES® PANFISH

SPINNING



BLANK

PRIMARY MATERIAL
SCIII+ CARBON FIBER

GUIDES

RING MATERIAL
STAINLESS STEEL

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE


PRIMARY MATERIAL
SUPER GRADE CORK

ACCENT MATERIAL
CORK COMPOSITE

BUTT CAP
CORK COMPOSITE



Carbon Pearl



Handle measurements shown in inches

AVID SERIES® PANFISH SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ASPS60ULF	6'0"	UL	FAST	2-6	1/32-3/16	1	1	\$200
ASPS64LF	6'4"	L	FAST	4-8	1/16-1/4	1	1	\$205
ASPS69ULF	6'9"	UL	FAST	2-6	1/32-3/16	1	2	\$215
ASPS69MLXF	6'9"	ML	X-FAST	4-12	1/8-1/2	1	2	\$215
ASPS70LXF	7'0"	L	X-FAST	2-6	1/16-3/16	1	3	\$220
ASPS70MLXF	7'0"	ML	X-FAST	4-12	1/8-3/8	1	3	\$220
ASPS73MLXF	7'3"	ML	X-FAST	4-12	1/8-1/2	1	4	\$230
ASPS80LMF2	8'0"	L	MOD. FAST	4-8	1/16-1/4	2	5	\$240
ASPS90LMF2	9'0"	L	MOD. FAST	4-8	1/16-1/4	2	5	\$250



AVID SERIES® SPINNING

SPINNING



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALCONITE

SECONDARY RING MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
CORK


PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL


HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Carbon Pearl



Handle measurements shown in inches

AVID SERIES[®] SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
AVS46ULF	4'6"	UL	FAST	2-6	1/32-3/16	1	1	\$170
AVS50ULF	5'	UL	FAST	2-6	1/32-3/16	1	1	\$170
AVS56ULF2	5'6"	UL	FAST	2-6	1/32-3/16	2	1	\$200
AVS59MXF	5'9"	M	X-FAST	6-10	1/8-1/2	1	3	\$200
AVS60ULF	6'	UL	FAST	2-6	1/32-3/16	1	2	\$190
AVS60ULF2	6'	UL	FAST	2-6	1/32-3/16	2	2	\$210
AVS60LF	6'	L	FAST	4-8	1/16-1/4	1	2	\$200
AVS60MLF	6'	ML	FAST	4-10	1/8-3/8	1	3	\$200
AVS60MF	6'	M	FAST	6-12	3/16-5/8	1	3	\$200
AVS63MLXF	6'3"	ML	X-FAST	4-8	1/16-3/8	1	3	\$210
AVS63MXF	6'3"	M	X-FAST	6-10	1/8-1/2	1	3	\$210
AVS66ULF	6'6"	UL	FAST	2-6	1/32-3/16	1	2	\$200
AVS66ULF2	6'6"	UL	FAST	2-6	1/32-3/16	2	2	\$220
AVS66LF	6'6"	L	FAST	4-8	1/16-1/4	1	2	\$200
AVS66LF2	6'6"	L	FAST	4-8	1/16-1/4	2	2	\$220
AVS66MLF	6'6"	ML	FAST	4-10	1/8-3/8	1	4	\$210
AVS66MLF2	6'6"	ML	FAST	4-10	1/8-3/8	2	4	\$230
AVS66MF	6'6"	M	FAST	6-12	3/16-5/8	1	4	\$220
AVS66MF2	6'6"	M	FAST	6-12	3/16-5/8	2	4	\$240
AVS66MHF	6'6"	MH	FAST	8-14	3/8-3/4	1	4	\$220
AVS66MHF2	6'6"	MH	FAST	8-14	3/8-3/4	2	4	\$240
AVS68MXF	6'8"	M	X-FAST	6-12	3/16-5/8	1	4	\$220
AVS69MLXF	6'9"	ML	X-FAST	6-10	1/8-1/2	1	4	\$220
AVS70ULF	7'	UL	FAST	2-6	1/32-3/16	1	2	\$210
AVS70ULM2	7'	UL	MOD. FAST	2-6	1/32-3/16	2	2	\$230
AVS70MLF	7'	ML	FAST	4-10	1/8-3/8	1	4	\$220
AVS70MLF2	7'	ML	FAST	4-10	1/8-3/8	2	4	\$240
AVS70MF	7'	M	FAST	6-12	3/16-5/8	1	5	\$220
AVS70MF2	7'	M	FAST	6-12	3/16-5/8	2	5	\$240
AVS70MHF	7'	MH	FAST	8-14	3/8-3/4	1	5	\$220
AVS76MLXF	7'6"	ML	X-FAST	4-10	1/8-3/8	1	5	\$230
AVS76MLXF2	7'6"	ML	X-FAST	4-10	1/8-3/8	2	5	\$250
AVS80MLM2	8'	ML	MOD. FAST	4-8	1/16-5/16	2	5	\$240



VICTORY

CASTING & SPINNING

ROD



BLANK

PRIMARY MATERIAL
SCIII+ CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA



Carbon Clear

Victory Casting



Victory Spinning



Handle measurements shown in inches

VICTORY CASTING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
VTC68MXF	THE JERK	6'8"	M	X-FAST	8-20	1/4-5/8	1	1	\$210
VTC71MHF	THE GRUNT	7'1"	MH	FAST	12-20	3/8-3/4	1	2	\$200
VTC72MHMF	CRANKER	7'2"	MH	MOD. FAST	12-20	5/16-7/8	1	2	\$200
VTC72MHM	POWER TARGET CRANKER	7'2"	MH	MOD.	12-20	3/8-7/8	1	2	\$200
VTC72HM	RIP'N CHATTER	7'2"	H	MOD.	12-20	1/2-1 1/4	1	2	\$200
VTC73HXF	FULL CONTACT FINESSE	7'3"	H	X-FAST	14-65	3/8-7/8	1	2	\$210
VTC73MHF	THE MARSHAL	7'3"	MH	FAST	14-65	5/16-1	1	2	\$210
VTC73HMF	FLIP'N	7'3"	H	MOD. FAST	14-65	3/8-1	1	3	\$210
VTC74HF	FULL CONTACT	7'4"	H	FAST	14-65	3/8-1 1/2	1	3	\$210
VTC75MHF	MAX-MARSHAL	7'5"	MH	FAST	14-65	3/8-1	1	3	\$210
VTC76HMF	POWER FLIP'N	7'6"	H	MOD. FAST	14-65	3/8-1	1	5	\$210
VTC710HM	MID-CRANKER	7'10"	H	MOD.	8-16	3/8-1 1/8	1	4	\$235
VTC710XHM	MAX-CRANKER	7'10"	XH	MOD.	8-16	7/8-2 1/2	1	4	\$245
VTC710HF	S.B. RANGER	7'10"	H	FAST	14-80	3/4-3	1	7	\$265
VTC710XHF	S.B. AVENGER	7'10"	XH	FAST	14-80	2-5	1	7	\$275
VTC710XXHF	S.B. BRUTUS	7'10"	XXH	FAST	14-80	4-8	1	8	\$275
VTC711HMF	KNOCKOUT	7'11"	H	MOD. FAST	14-80	1/2-2 1/2	1	6	\$245

VICTORY SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
VTS68MXF	TACTICAL	6'8"	M	X-FAST	6-20	3/16-5/8	1	1	\$190
VTS610MLXF	LITE-WEIGHT	6'10"	ML	X-FAST	6-20	1/16-3/8	1	1	\$190
VTS71MF	FINESSE	7'1"	M	FAST	6-20	3/16-5/8	1	2	\$200
VTS71MHF	MAX-FINESSE	7'1"	MH	FAST	6-20	3/8-3/4	1	3	\$200
VTS73MLXF	MAX-LITE WEIGHT	7'3"	ML	X-FAST	6-20	1/16-3/8	1	2	\$210
VTS73MXF	MAX-TACTICAL	7'3"	M	X-FAST	6-20	3/16-1/2	1	2	\$210
VTS710MLXF	CROSSHAIR	7'10"	ML	X-FAST	6-20	1/16-3/8	1	4	\$210
VTS710MMF	OPEN WATER	7'10"	M	MOD. FAST	6-20	3/8-5/8	1	4	\$210



PREMIER[®]

SPINNING

ROD



FRS



PARK FALLS
ESTD 1948
AMERICAN
MADE
WISCONSIN

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK


BUTT CAP
CORK COMPOSITE

PREMIER[®] SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
PS46ULM	4'6"	UL	MOD.	2-6	1/16-1/4	1	1	\$140
PS50ULM	5'	UL	MOD.	2-6	1/16-1/5	1	1	\$140
PS56ULF2	5'6"	UL	FAST	2-6	2/32-3/5	2	1	\$170
PS56LF	5'6"	L	FAST	4-8	1/16-5/5	1	1	\$150
PS56MF	5'6"	M	FAST	6-12	1/4-5/5	1	1	\$150
PS60ULF	6'	UL	FAST	2-6	1/32-3/6	1	2	\$150
PS60ULF2	6'	UL	FAST	2-6	2/32-3/6	2	2	\$170
PS60LF	6'	L	FAST	4-8	1/16-5/6	1	2	\$150
PS60MLF	6'	ML	FAST	4-10	1/8-1/6	1	3	\$150
PS60MLF2	6'	ML	FAST	4-10	2/8-1/6	2	3	\$170
PS60MF	6'	M	FAST	6-12	1/4-5/6	1	3	\$160
PS60MF2	6'	M	FAST	6-12	2/4-5/6	2	3	\$180
PS60MHF	6'	MH	FAST	8-14	1/8-3/6	1	4	\$160
PS66ULF	6'6"	UL	FAST	2-6	1/32-3/6	1	2	\$150
PS66ULF2	6'6"	UL	FAST	2-6	2/32-3/6	2	2	\$170
PS66LF	6'6"	L	FAST	4-8	1/16-5/6	1	2	\$150
PS66LF2	6'6"	L	FAST	4-8	2/16-5/6	2	2	\$170
PS66MLF	6'6"	ML	FAST	4-10	1/8-1/6	1	4	\$160
PS66MLF2	6'6"	ML	FAST	4-10	2/8-1/6	2	4	\$180
PS66MF	6'6"	M	FAST	6-12	1/4-5/6	1	4	\$160
PS66MF2	6'6"	M	FAST	6-12	2/4-5/6	2	4	\$180
PS66MHF	6'6"	MH	FAST	8-14	1/8-3/6	1	5	\$170
PS66MHF2	6'6"	MH	FAST	8-14	2/8-3/6	2	5	\$190
PS70ULF2	7'	UL	FAST	2-6	2/32-3/7	2	2	\$170
PS70MLF	7'	ML	FAST	4-10	1/8-1/7	1	4	\$160
PS70MLF2	7'	ML	FAST	4-10	2/8-1/7	2	4	\$180
PS70MF	7'	M	FAST	6-12	1/4-5/7	1	5	\$170
PS70MF2	7'	M	FAST	6-12	2/4-5/7	2	5	\$190
PS70MHF	7'	MH	FAST	8-14	1/8-3/7	1	5	\$170
PS70HF	7'	H	FAST	10-20	1/2-11/7	1	7	\$190
PS70HF2	7'	H	FAST	10-20	2/2-11/7	2	7	\$210
PS70XHF	7'	XH	FAST	12-25	1/4-2/7	1	7	\$200
PS76MLF	7'6"	ML	FAST	4-10	1/8-1/7	1	5	\$170
PS76MLF2	7'6"	ML	FAST	4-10	2/8-1/7	2	5	\$190
PS76MF	7'6"	M	FAST	6-12	1/4-5/7	1	6	\$180
PS76MF2	7'6"	M	FAST	6-12	2/4-5/7	2	6	\$200
PS86LM2	8'6"	L	MOD.	4-8	2/16-5/8	2	7	\$190



Classic Black Pearl



Handle measurements shown in inches

PREMIER[®] MUSKY SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
PMS80MHF	8'	MH	FAST	30-65	3/4-3	1	8	\$235
PMS80HF	8'	H	FAST	30-65	1-5	1	8	\$235

PREMIER[®]

CASTING

ROD



BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE


PREMIER® CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
PC56MF	5'6"	M	FAST	8-14	¼-5/8	1	1	\$170
PC60MF	6'	M	FAST	10-17	¼-3/4	1	2	\$160
PC60MHF	6'	MH	FAST	10-20	3/8-1	1	2	\$160
PC66MF	6'6"	M	FAST	10-17	¼-3/4	1	3	\$170
PC66MF2	6'6"	M	FAST	10-17	¼-3/4	2	3	\$190
PC66MHF	6'6"	MH	FAST	10-20	3/8-1	1	3	\$170
PC66MHF2	6'6"	MH	FAST	10-20	3/8-1	2	3	\$190
PC70MLF	7'	ML	FAST	8-14	3/16-5/8	1	3	\$170
PC70MF	7'	M	FAST	10-17	¼-3/4	1	3	\$170
PC70MHF	7'	MH	FAST	10-20	3/8-1	1	4	\$180
PC70HF	7'	H	FAST	12-25	1/2-1 1/2	1	5	\$190
PC70HF2	7'	H	FAST	12-25	1/2-1 1/2	2	5	\$210

PREMIER® MUSKY CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
PM610MF	6'10"	M	FAST	20-40	1/2-2	1	1	\$200
PM70MHF	7'	MH	FAST	30-65	3/4-3	1	2	\$215
PM70MHF2	7'	MH	FAST	30-65	3/4-3	2	2	\$235
PM70HF	7'	H	FAST	40-80	2-6	1	2	\$225
PM70HF2	7'	H	FAST	40-80	2-6	2	2	\$245
PM70XHF	7'	XH	FAST	50-100	3-8	1	2	\$225
PM76MHF	7'6"	MH	FAST	30-65	3/4-3	1	3	\$235
PM76HF	7'6"	H	FAST	40-80	2-6	1	3	\$235
PM80MHF	8'	MH	FAST	30-65	3/4-3	1	3	\$235
PM80HF	8'	H	FAST	40-80	3-8	1	3	\$235
PM80XHF	8'	XH	FAST	50-100	6-12	1	3	\$245
PM86MHF	8'6"	MH	FAST	30-65	3/4-3	1	3	\$245
PM86HF	8'6"	H	FAST	40-80	3-8	1	3	\$245
PM86XHF	8'6"	XH	FAST	50-100	6-12	1	4	\$245
PM90XHF	9'	XH	FAST	50-100	8-16	1	5	\$255
PGM80HM	8'	H	MOD.	40-80	1-8	1	3	\$245

Classic Black Pearl



Handle measurements shown in inches

MOJO BASS

CASTING & SPINNING

ROD



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
PREMIUM EVA

MOJO BASS CASTING RODS


MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MJC68MXF	TOP WATER	6'8"	M	X-FAST	8-14	1/4-5/8	1	1	\$150
MJC68MXF2	TOP WATER	6'8"	M	X-FAST	8-14	1/4-5/8	2	1	\$160
MJC68MF	JERKBAIT	6'8"	M	FAST	10-17	1/4-5/8	1	1	\$150
MJC68MHF	JIG-N-WORM	6'8"	MH	FAST	12-20	3/8-1	1	1	\$150
MJC68MHF2	JIG-N-WORM	6'8"	MH	FAST	12-20	3/8-1	2	1	\$160
MJC70MHMF	SPINNERBAIT	7'	MH	MOD. FAST	12-20	3/8-3/4	1	2	\$150
MJC70HF	DOCK SNIPER	7'	H	FAST	14-25	3/8-1 1/2	1	3	\$150
MJC71MF	PLASTICS	7'1"	M	FAST	10-17	1/4-5/8	1	1	\$150
MJC71MF2	PLASTICS	7'1"	M	FAST	10-17	1/4-5/8	2	1	\$160
MJC71MM	CARBON CRANKER	7'1"	M	MOD.	8-14	1/4-5/8	1	1	\$160
MJC71MHM	MID CARBON CRANKER	7'1"	MH	MOD.	10-20	3/8-1	1	1	\$160
MJC71MHF	JIG/BAITS	7'1"	MH	FAST	12-20	3/8-1	1	3	\$150
MJC71MHF2	JIG/BAITS	7'1"	MH	FAST	12-20	3/8-1	2	3	\$160
MJC74HF	SLOP-N-FROG/ SWIM JIG	7'4"	H	FAST	14-25	3/8-1 1/2	1	4	\$160
MJC75MHXF	SWIM FROG	7'5"	MH	X-FAST	12-25	3/8-1 1/4	1	4	\$150
MJC76MHMF	PITCHIN'/LITE FLIPPIN'	7'6"	MH	MOD. FAST	12-25	3/8-1 1/4	1	4	\$160
MJC710HF	SWIM BAIT/A-RIG	7'10"	H	FAST	14-30	1-4	1	5	\$170
MJC711MHF	FLIPPIN'	7'11"	H	MOD. FAST	14-30	1/2-2	1	4	\$170

MOJO BASS SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MJS68MXF	WACKY STYLE	6'8"	M	X-FAST	6-12	3/16-5/8	1	6	\$150
MJS68MXF2	WACKY STYLE	6'8"	M	X-FAST	6-12	3/16-5/8	2	6	\$160
MJS610MLXF	DROP SHOT/ FINESSE	6'10"	ML	X-FAST	6-10	1/8-1/2	1	6	\$150
MJS71MF	PLASTICS	7'1"	M	FAST	6-12	3/16-5/8	1	6	\$150
MJS71MF2	PLASTICS	7'1"	M	FAST	6-12	3/16-5/8	2	6	\$160
MJS71MHF	POWERSPIN	7'1"	MH	FAST	8-14	3/8-3/4	1	6	\$150
MJS71MHF2	POWERSPIN	7'1"	MH	FAST	8-14	3/8-3/4	2	6	\$160
MJS73MHF	POWER SHAKE	7'3"	MH	FAST	8-14	3/8-3/4	1	7	\$160
MJS76MLXF	HAIR JIG	7'6"	ML	X-FAST	6-10	1/8-1/2	1	7	\$160
MJS96MLM2	FLOAT-N-FLY	9'6"	ML	MOD.	4-8	1/16-5/16	2	8	\$170



Black Cherry Metallic



Handle measurements shown in inches



MOJO BASS GLASS

CASTING & SPINNING



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
LINEAR S-GLASS

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
PREMIUM EVA



Mojo Green Metallic



Handle measurements shown in inches

MOJO BASS GLASS CASTING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MGC610MM	TARGET CRANKER	6'10"	M	MOD.	8-14	1/4-3/4	1	1	\$150
MGC72MM	CRANKER	7'2"	M	MOD.	8-14	1/4-3/4	1	2	\$160
MGC72HM	RIP-N-CHATTER	7'2"	H	MOD.	12-25	1/2-1 3/8	1	2	\$170
MGC74MHM	BIG CRANKER	7'4"	MH	MOD.	10-20	3/8-1	1	2	\$170

MOJO BASS GLASS SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MGS72MM	CRANKER	7'2"	M	MOD.	8-14	1/4-3/4	1	3	\$160



MOJO YAK

SPINNING & CASTING

ICAST 2018
New Product Showcase
Best of Category WINNER

ROD



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
ADVANCE POLYMER

BUTT CAP
PREMIUM EVA



Black Cherry Metallic



Handle measurements shown in inches

MOJO YAK CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MYC70MF	7'	M	FAST	10-17	¼-¾	1	3	\$160
MYC76MHF	7'	MH	FAST	12-25	⅝- 1 ¼	1	4	\$170

MOJO YAK SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MYS70MLF	7'	ML	FAST	6-10	⅓-½	1	1	\$160
MYS70MF	7'	M	FAST	6-12	⅜-⅝	1	1	\$160
MYS70MHF	7'	MH	FAST	8-14	⅜-¾	1	1	\$170
MYS76MLF	7'6"	ML	FAST	6-10	⅓-½	1	2	\$170
MYS76MF	7'6"	M	FAST	6-12	¼-¾	1	2	\$170
MYS76MHF	7'6"	MH	FAST	8-17	⅜-1	1	2	\$170



MOJO MUSKY

CASTING & TROLLING



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

CASTING

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM-OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
ADVANCE POLYMER

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA

TROLLING

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

SECONDARY MATERIAL
SCI GLASS

GUIDES

RING MATERIAL
STAINLESS STEEL

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA

MOJO MUSKY CASTING RODS

MODEL	COLLAPSED LGTH.	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MJM610MF	-	6'10"	M	FAST	20-40	1/2-2	1	1	\$185
MJM72MHF	-	7'2"	MH	FAST	30-65	3/4-3	1	2	\$195
MJM72XHF	-	7'2"	XH	FAST	50-100	3-8	1	2	\$205
MJM76MHF	-	7'6"	MH	FAST	30-65	3/4-3	1	2	\$215
MJM76HF	-	7'6"	H	FAST	40-80	2-6	1	2	\$215
MJM76XHF	-	7'6"	XH	FAST	50-100	3-8	1	2	\$225
MJM80MHF	-	8'	MH	FAST	30-65	3/4-3	1	3	\$235
MJM80HF	-	8'	H	FAST	40-80	3-8	1	3	\$245
MJM86MHF	-	8'6"	MH	FAST	30-65	3/4-3	1	4	\$235
MJM86HF	-	8'6"	H	FAST	40-80	3-8	1	5	\$245
MJM86HFT	-	8'6"	H	FAST	40-80	3-8	1+	5	\$305
MJM86XHF	-	8'6"	XH	FAST	50-100	6-12	1	5	\$255
MJM90MHFT	96"	9'	MH	FAST	30-65	3/4-3	1+	6	\$315
MJM90HFT	94"	9'	H	FAST	40-80	3-8	1+	6	\$315
MJM96MHFT	89"	9'6"	MH	FAST	30-65	3/4-3	1+	7	\$350
MJM96HFT	89"	9'6"	H	FAST	40-80	3-8	1+	7	\$350



Casting - Black Cherry Metallic



Trolling - Grey Haze

Mojo Musky Casting



Handle measurements shown in inches

MOJO MUSKY TROLLING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MMT70XHM	7'0"	XH	MOD.	50-100	-	1	1	\$225
MMT80HM	8'	H	MOD.	50-100	-	1	1	\$245
MMT90HM2	9'	H	MOD.	50-100	-	2	1	\$255
MMT90XHM2	9'	XH	MOD.	50-100	-	2	1	\$255
MMT100HM2	10'	H	MOD.	50-100	-	2	1	\$265



NEW for 2023

ONCHOR

TROLLING



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

SECONDARY MATERIAL
SCI GLASS

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
CARBON FIBER

SECONDARY MATERIAL
NYLON

ACCENT MATERIAL
NYLON

BUTT CAP
RUBBER



Jasper Stone




1

Handle measurements shown in inches

ONCHOR TROLLING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ONCC90MHM2	9'	MH	MOD.	10-17	2-8	2	1	\$285
ONCC96HM2	9'6"	H	MOD.	15-30	1-6	2	1	\$300
ONCC96XHM2	9'6"	XH	MOD.	15-40	4-12	2	1	\$300
ONCC106HM2	10'6"	H	MOD.	12-25	4-12	2	1	\$310



EYECON[®]

SPINNING & CASTING

ROD



FRS



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

SECONDARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

SECONDARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON


SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA




Walter Green

EYECON® CASTING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
EYC70MHM	BOUNCE-N-TROLL	7'	MH	MOD.	6-12	1/2-3	1	6	\$145

EYECON® SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
EYS58HF	HEAVY METAL	5'8"	H	FAST	8-17	3/8-1	1	1	\$155
EYS63MLXF	VERTICAL JIG	6'3"	ML	X-FAST	4-8	1/16-3/8	1	1	\$155
EYS63MXF	VERTICAL JIG	6'3"	M	X-FAST	6-10	1/8-1/2	1	1	\$155
EYS66MLF	JIG-N-RIG	6'6"	ML	FAST	4-10	1/8-3/8	1	2	\$145
EYS66MLF2	JIG-N-RIG	6'6"	ML	FAST	4-10	1/8-3/8	2	2	\$155
EYS66MF	BIG WATER	6'6"	M	FAST	6-12	1/4-5/8	1	2	\$145
EYS66MF2	BIG WATER	6'6"	M	FAST	6-12	1/4-5/8	2	2	\$155
EYS68MXF	SNAP JIG	6'8"	M	X-FAST	6-12	3/16-5/8	1	3	\$155
EYS70LF	FINESSE	7'0"	L	FAST	4-8	1/16-1/4	1	2	\$155
EYS70MLF	RIGGIN'	7'0"	ML	FAST	4-10	1/8-3/8	1	3	\$155
EYS70MLF2	RIGGIN'	7'0"	ML	FAST	4-10	1/8-3/8	2	3	\$165
EYS70MM	CRANKIN'	7'0"	M	MOD.	6-12	1/4-5/8	1	3	\$155
EYS71MMF	JIG-N-RAP	7'1"	M	MOD. FAST	6-20	3/16-5/8	1	5	\$155
EYS71MF	RIP-N-RAP	7'1"	M	FAST	6-20	5/16-7/8	1	5	\$155
EYS76MLXF	SLIP-N-RIG	7'6"	ML	X-FAST	4-10	1/8-3/8	1	4	\$155
EYS76MLXF2	SLIP-N-RIG	7'6"	ML	X-FAST	4-10	1/8-3/8	2	4	\$165
EYS80MLF2	DRIFT-N-FLOAT	8'0"	ML	FAST	4-10	1/8-3/8	2	4	\$165



Handle measurements shown in inches



EYECON[®]

TROLLING

ROD



FRS



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

SECONDARY MATERIAL
LINEAR S-GLASS

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

SECONDARY RING MATERIAL
ALUMINUM OXIDE

REEL SEAT

PRIMARY MATERIAL
NYLON


PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA



Walter Green

EYECON® TROLLING RODS

MODEL	COLLAPSED LGTH.	TECHNIQUE	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ET50MM	-	TROLLING	5'0"	M	MOD.	10-20	N/A	1	1	\$135
ET70MM	-	TROLLING	7'0"	M	MOD.	10-21	N/A	1	1	\$155
+ ET76MMT	62"	TROLLING	7'6"	M	MOD.	10-22	N/A	1+	1	\$165
+ ET86MMT	84"	TROLLING	8'6"	M	MOD.	10-23	N/A	1+	2	\$175
ET100MM2	-	TROLLING	10'	M	MOD.	10-24	N/A	2	2	\$175



Handle measurements shown in inches



+ Telescopic



PANFISH SERIES

SPINNING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE


PRIMARY MATERIAL
NYLON

SECONDARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Copper Slab



Handle measurements shown in inches

PANFISH SERIES SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
PNS50ULM	5'0"	UL	MOD.	2-6	1/16-1/4	1	1	\$120
PNS54ULF	5'4"	UL	FAST	2-6	1/32-3/16	1	1	\$130
PNS60ULF	6'	UL	FAST	2-6	1/32-3/16	1	2	\$130
PNS64LF	6'4"	L	FAST	4-8	1/16-1/4	1	2	\$140
PNS69ULF	6'9"	UL	FAST	2-6	1/32-3/16	1	3	\$140
PNS70LXF	7'0"	L	X-FAST	2-6	1/16-3/16	1	3	\$140
PNS70MLXF	7'0"	ML	X-FAST	4-12	1/8-3/8	1	3	\$140
PNS73MLXF	7'3"	ML	X-FAST	4-12	1/8-1/2	1	4	\$140
PNS80LMF2	8'0"	L	MOD. FAST	4-8	1/16-1/4	2	5	\$170
PNS90LMF2	9'0"	L	MOD. FAST	4-8	1/16-1/4	2	5	\$190



TROUT SERIES

SPINNING



FRS



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE

PRIMARY MATERIAL
NYLON

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA

TROUT SERIES SPINNING RODS



Galaxy Mist



Handle measurements shown in inches

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TFS410ULF	4'10"	UL	FAST	2-6	1/32-3/16	1	1	\$120
TFS54ULF	5'4"	UL	FAST	2-6	1/32-3/16	1	1	\$135
TFS56ULF2	5'6"	UL	FAST	2-6	1/32-3/16	2	1	\$145
TFS60ULF2	6'0"	UL	FAST	2-6	1/32-3/16	2	2	\$155
TFS64LF2	6'4"	L	FAST	4-8	1/16-1/4	2	2	\$155
TFS70LXF2	7'0"	L	X-FAST	4-8	1/16-1/4	2	3	\$170
TFS510LF	5'10"	L	FAST	4-10	1/16-5/16	1	2	\$145
TFS66LF2	6'6"	L	FAST	4-10	1/16-5/16	2	2	\$155
TFS66MLXF2	6'6"	ML	X-FAST	4-10	1/16-3/8	2	2	\$155
TFS66MLF2	6'6"	ML	FAST	4-10	1/8-3/8	2	2	\$155
TFS69MLXF2	6'9"	ML	X-FAST	4-10	1/16-3/8	2	3	\$155
TFS70MXF2	7'0"	M	X-FAST	4-10	1/16-3/8	2	4	\$170



BASS X

SPINNING & CASTING



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

SECONDARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

SECONDARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
CORK COMPOSITE


Raw Carbon



Bass X Casting Handles



Bass X Spinning Handles



Handle measurements shown in inches

BASS X CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
BAC66MF	6'6"	M	FAST	10-17	1/4-5/8	1	1	\$125
BAC66MHF	6'6"	MH	FAST	12-20	3/8-1	1	1	\$125
BAC68MXF	6'8"	M	X-FAST	8-14	1/4-5/8	1	1	\$125
BAC71MF	7'1"	M	FAST	10-17	1/4-5/8	1	1	\$125
BAC71MHF	7'1"	M	FAST	12-20	3/8-1	1	2	\$125
BAC72MHM	7'2"	MH	MOD.	12-20	3/8-1	1	2	\$125
BAC74MHMF	7'4"	MH	MOD. FAST	12-25	3/8-1 1/4	1	3	\$135
BAC74HF	7'4"	H	FAST	14-65	3/8-1 1/2	1	4	\$135
BAC710HF	7'10"	H	FAST	14-80	3/4-3	1	5	\$155
BAC711HMF	7'11"	H	MOD. FAST	14-30	1/2-2	1	4	\$135
BAC710XHF	7'10"	XH	FAST	14-80	2-5	1	5	\$160
BAC710XXHF	7'10"	XXH	FAST	14-80	4-8	1	6	\$160

BASS X SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
BAS68MXF	6'8"	M	X-FAST	6-12	3/16-5/8	1	1	\$125
BAS610MLXF	6'10"	ML	X-FAST	6-10	1/8-1/2	1	1	\$125
BAS71MF	7'1"	M	FAST	6-12	3/16-5/8	1	1	\$125
BAS71MHF	7'1"	MH	FAST	8-14	3/8-3/4	1	2	\$125



TRIUMPH[®]

SPINNING & CASTING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Deep Run Blue

Triumph Casting Handles



Triumph Spinning Handles



Handle measurements shown in inches

TRIUMPH® CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TCR60MF	6'	M	FAST	10-17	1/4-3/4	1	1	\$110
TCR66MF	6'6"	M	FAST	10-17	1/4-3/4	1	2	\$110
TCR66MHF	6'6"	MH	FAST	10-20	3/8-1	1	2	\$110
TCR70MF	7'	M	FAST	10-17	1/4-3/4	1	2	\$110
TCR70MHF	7'	MH	FAST	10-20	3/8-1	1	2	\$120

TRIUMPH® SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TSR50ULM	5'	UL	MOD.	2-6	1/16-1/4	1	1	\$105
TSR56ULF2	5'6"	UL	FAST	2-6	2/32-3/16	2	1	\$110
TSR60LF	6'	L	FAST	4-8	1/16-5/16	1	2	\$110
TSR60MLF	6'	ML	FAST	4-10	1/8-1/2	1	3	\$110
TSR60MF	6'	M	FAST	6-12	1/4-5/8	1	3	\$110
TSR66LF	6'6"	L	FAST	4-8	1/16-5/16	1	2	\$110
TSR66LF2	6'6"	L	FAST	4-8	1/16-5/16	2	2	\$120
TSR66MLF	6'6"	ML	FAST	4-10	1/8-1/2	1	4	\$110
TSR66MLF2	6'6"	ML	FAST	4-10	1/8-1/2	2	4	\$120
TSR66MF	6'6"	M	FAST	6-12	1/4-5/8	1	4	\$110
TSR66MF2	6'6"	M	FAST	6-12	1/4-5/8	2	4	\$120
TSR70MLF	7'	ML	FAST	4-10	1/8-1/2	1	4	\$110
TSR70MLF2	7'	ML	FAST	4-10	1/8-1/2	2	4	\$120
TSR70MF	7'	M	FAST	6-12	1/4-5/8	1	5	\$110
TSR70MF2	7'	M	FAST	6-12	1/4-5/8	2	5	\$120
TSR70MHF	7'	MH	FAST	8-17	1/8-3/4	1	6	\$120
TSR76MLF	7'6"	ML	FAST	4-10	1/8-1/2	1	6	\$120
TSR76MF	7'6"	M	FAST	6-12	1/4-5/8	1	6	\$120
TSR76MHF	7'6"	MH	FAST	8-17	1/8-3/4	1	7	\$130



TRIUMPH[®] MUSKY

CASTING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Deep Run Blue

TRIUMPH[®] MUSKY RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TMR70MHF	7'	MH	FAST	30-65	¾-3	1	1	\$145
TMR70XHF	7'	XH	FAST	50-100	3-8	1	1	\$155
TMR76MHF	7'6"	MH	FAST	30-65	¾-3	1	2	\$155
TMR76HF	7'6"	H	FAST	40-80	2-6	1	2	\$155
TCR70MHF	7'	MH	FAST	10-20	¾-1	1	2	\$120




Handle measurements shown in inches



TRIUMPH[®] SALMON & STEELHEAD

SPINNING & CASTING



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL


HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Deep Run Blue



Handle measurements shown in inches

TRIUMPH[®] SALMON & STEELHEAD CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TRSC86MHF2	8'6"	M	FAST	8-17	3/8-1	2	5	\$145
TRSC86HF2	8'6"	H	FAST	12-25	1/2-2	2	5	\$145

TRIUMPH[®] SALMON & STEELHEAD SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TRSS86MF2	8'6"	M	FAST	8-12	1/4-3/4	2	8	\$145
TRSS86MHF2	8'6"	MH	FAST	8-17	3/8-1	2	8	\$145
TRSS86HF2	8'6"	H	FAST	12-25	1/2-2	2	8	\$145
TRSS90LM2	9'	L	MOD.	4-8	1/16-3/8	2	8	\$145
TRSS106ULS2	10'6"	UL	SLOW	2-6	1/16-1/4	2	8	\$145





BEST RODS ON EARTH

TRAVELER





AVID TREK

SPINNING & CASTING



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALCONITE

SECONDARY RING MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
CORK

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
CORK

BUTT CAP
PREMIUM EVA



Carbon Pearl



Handle measurements shown in inches

AVID TREK CASTING ROD

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ATC76MHF3	7'6"	MH	FAST	8-17	3/8-3/4	3	5	\$305

AVID TREK SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ATS66MF3	6'6"	M	FAST	6-12	1/4-5/8	3	1	\$285
ATS70MLF3	7'	ML	FAST	6-12	1/8-1/2	3	1	\$285
ATS70MF3	7'	M	FAST	8-17	3/8-3/4	3	1	\$285
ATS70MHF3	7'	MH	FAST	10-20	1/2 - 1 1/4	3	3	\$295
ATS76MF3	7'6"	M	FAST	8-17	3/8-3/4	3	2	\$305
ATS76MHF3	7'6"	MH	FAST	10-20	1/2 - 1 1/4	3	4	\$305



All Avid Trek travel rods come with a 1000 Denier nylon-covered rod case with a divided polypropylene liner.



TROUT PACK

SPINNING

ROD



FRS



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
PREMIUM EVA

HANDLE

PRIMARY MATERIAL
NYLON

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA

TROUT PACK SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TFS66MLXF3	6'6"	ML	X-FAST	4-10	1/16-3/8	3	1	\$180
TFS73MLXF3	7'3"	ML	X-FAST	4-10	1/16-3/8	3	2	\$190




Galaxy Mist



All Trout Pack Travel Rods come with a padded nylon soft case.

Trout Pack Handles



Handle measurements shown in inches



TRIUMPH TRAVEL

SPINNING & CASTING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Sea Smoke - Triumph Surf



Deep Run Blue - Triumph

Triumph Casting & Spinning Handles

24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1



1 2 3 4

Triumph Surf Handles

42
41
40
39
38
37
36
35
34
33
32
31
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1



1 2

Handle measurements shown in inches

TRIUMPH® TRAVEL SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TSR56ULF4	5'6"	UL	FAST	2-6	1/32-3/16	4	2	\$155
TSR60LF4	6'	L	FAST	4-8	1/16-5/16	4	3	\$155
TSR66MLF4	6'6"	ML	FAST	4-10	1/8-1/2	4	4	\$165
TSR66MF4	6'6"	M	FAST	6-12	1/4-5/8	4	4	\$165
TSR66MHF4	6'6"	MH	FAST	8-17	3/8-3/4	4	4	\$165
TCR66MHF4	6'6"	MH	FAST	10-20	3/8-1	4	1	\$165

TRIUMPH® SURF TRAVEL SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TSF90M4	9'	M	MOD. FAST	8-20	1/2-2 1/2	4	1	\$240
TSF100M4	10'	M	MOD. FAST	8-20	3/4-4	4	2	\$270



All Triumph® Travel Rods come with a padded nylon soft case.





BEST RODS ON EARTH

SALTWATER






LEGEND[®] SURF

SPINNING & CASTING

ROD



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
TITANIUM

SECONDARY RING MATERIAL
SILICON CARBIDE

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE


PRIMARY MATERIAL
NEOPRENE OVERLAY

SECONDARY MATERIAL
NYLON

BUTT CAP
RUBBER



Belize Blue



Handle measurements shown in inches

LEGEND® SURF CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
GSC106MHMF2	10'6"	MH	MOD. FAST	12-25	2-6	2	6	\$555
GSC110MHMF2	11'	MH	MOD. FAST	15-40	3-8	2	7	\$565

LEGEND® SURF SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
GSS70MMF	7'	M	MOD. FAST	8-17	5/8-2	1	1	\$500
GSS80MMF	8'	M	MOD. FAST	8-17	3/4-3	1	2	\$510
GSS90MMF2	9'	M	MOD. FAST	10-20	1-4	2	2	\$575
GSS90MM2	9'	M	MOD.	10-20	3/4-4	2	2	\$575
GSS100MMF2	10'	M	MOD. FAST	10-20	1-4	2	3	\$595
GSS106MM2	10'6"	M	MOD.	10-20	3/4-4	2	3	\$595
GSS106MHMF2	10'6"	MH	MOD. FAST	12-25	2-6	2	3	\$595
GSS110MHMF2	11'	MH	MOD. FAST	15-40	3-8	2	4	\$635
GSS120MHMF2	12'	MH	MOD. FAST	15-40	3-8	2	5	\$690
GSS120HMF2	12'	H	MOD. FAST	20-60	6-16	2	5	\$690



AVID SERIES[®] SURF

SPINNING & CASTING

ROD



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

SECONDARY RING MATERIAL
ALUMINUM OXIDE

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
CORK OVERLAY

SECONDARY MATERIAL
NYLON

BUTT CAP
NYLON



Charcoal



1 2 3 4 5 6 7 8

Handle measurements shown in inches

AVID SERIES® SURF CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
VSC100MF2	10'	M	FAST	10-20	1-4	2	6	\$360
VSC110MHF2	11'	MH	FAST	15-40	3-8	2	7	\$390
VSC120HMF2	12'	H	MOD.	20-60	6-16	2	8	\$445

AVID SERIES® SURF SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
VSS70MF	7'	M	FAST	8-17	5/8-2	1	1	\$265
VSS80MMF	8'	M	MOD. FAST	8-17	3/4-3	1	2	\$275
VSS90MMF2	9'	M	MOD. FAST	10-20	1-4	2	3	\$350
VSS96MHF2	9'6"	MH	FAST	12-25	2-6	2	3	\$360
VSS100MF2	10'	M	FAST	10-20	1-4	2	3	\$360
VSS110MHF2	11'	MH	FAST	15-40	3-8	2	4	\$390
VSS120HMF2	12'	H	MOD.	20-60	6-16	2	5	\$445



SEAGE™ SURF

SPINNING

ROD



BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
STAINLESS STEEL

SECONDARY RING MATERIAL
ALUMINUM OXIDE

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
X-FLOCK OVERLAY

SECONDARY MATERIAL
ADVANCE POLYMER

ACCENT MATERIAL
PREMIUM EVA


BUTT CAP
CORK COMPOSITE



Blue Granite

SEAGE SURF SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
SES70MLMF	7'0"	ML	MOD. FAST	15-40	3/8-1	1	1	\$220
SES70MMF	7'0"	M	MOD. FAST	15-40	5/8-2	1	2	\$230
SES80MMF	8'0"	M	MOD. FAST	15-40	3/4-3	1	4	\$240
SES90MLMF2	9'0"	ML	MOD. FAST	15-40	3/8-1.5	2	3	\$305
SES90MM2	9'0"	M	MOD.	15-40	3/4-4	2	5	\$305
SES90MMF2	9'0"	M	MOD. FAST	15-40	1-4	2	5	\$305
SES100MMF2	10'0"	M	MOD. FAST	15-40	1-4	2	6	\$315
SES106MHMF2	10'6"	MH	MOD. FAST	20-50	2-6	2	6	\$315
SES106MLMF2	10'6"	ML	MOD. FAST	15-40	1/2-2	2	4	\$315
SES106MM2	10'6"	M	MOD.	20-50	3/4-4	2	6	\$320
SES110MHMF2	11'0"	MH	MOD. FAST	30-65	3-8	2	7	\$340
SES120HMF2	12'0"	H	MOD. FAST	30-65	6-16	2	8	\$410



Handle measurements shown in inches



TRIUMPH[®] SURF

SPINNING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
CORK OVERLAY

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
RUBBER



Sea Smoke



- 1
- 2
- 3
- 4
- 5

Handle measurements shown in inches

TRIUMPH[®] SURF SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TSF70M	7'	M	MOD. FAST	8-17	1/2-2	1	1	\$145
TSF80M2	8'	M	MOD. FAST	8-17	1/2-3	2	2	\$165
TSF90M2	9'	M	MOD. FAST	8-20	1/2-2 1/2	2	3	\$175
TSF100M2	10'	M	MOD. FAST	8-20	3/4-4	2	4	\$185
TSF106MH2	10'6"	MH	MOD. FAST	10-25	2-6	2	5	\$220



LEGEND[®] XTREME INSHORE

SPINNING & CASTING



BLANK

PRIMARY MATERIAL
SCV CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
SILICON CARBIDE

SECONDARY RING MATERIAL
SILICON CARBIDE

PRIMARY FRAME MATERIAL
CARBON FIBER

SECONDARY FRAME MATERIAL
TITANIUM

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
CARBON FIBER

SECONDARY NUT MATERIAL
ALUMINUM

HANDLE

PRIMARY MATERIAL
**ST. CROIX
PROPRIETARY
MATERIAL**

SECONDARY MATERIAL
XS[®]

ACCENT MATERIAL
ALUMINUM

BUTT CAP
RUBBER

LEGEND® XTREME INSHORE CASTING ROD


MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
XSC70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	3	\$700



Sandbar

LEGEND® XTREME INSHORE SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
XSS70MF	7'	M	FAST	8-17	3/8-3/4	1	1	\$690
XSS70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	2	\$700
XSS76MF	7'6"	M	FAST	8-17	3/8-3/4	1	2	\$700



Handle measurements shown in inches



NEW for 2023

LEGEND[®] TOURNAMENT INSHORE

CASTING & SPINNING

ROD



BLANK

PRIMARY MATERIAL
SCIV+ CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALCONITE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
ALUMINUM

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

ACCENT MATERIAL
CORK COMPOSITE

BUTT CAP
**NON-MARKING
RUBBER GIMBAL/
CORK COMPOSITE**



Belize Blue Metallic

LEGEND TOURNAMENT[®] INSHORE CASTING RODS


MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ITLC70MLM	7'0"	ML	MOD.	8-14	1/8-1/4	1	1	\$340
ITLC70MF	7'0"	M	FAST	8-17	3/8-3/4	1	2	\$360
*ITLC70MHF	7'0"	MH	FAST	10-20	1/2-1 1/4	1	3	\$360
*ITLC76HMF	7'6"	H	MOD. FAST	40-80	3/4-3	1	4	\$370
*ITLC79XHMF	7'9"	XH	MOD. FAST	40-80	2-6	1	5	\$380
*ITLC711HMF	7'11"	H	MOD. FAST	17-40	3/4-3	1	5	\$390

Legend Tournament Inshore Casting Handles



1 2 3 4 5

Legend Tournament Inshore Spinning Handles



1 2 3 4 5 6

Handle measurements shown in inches

LEGEND TOURNAMENT[®] INSHORE SPINNING RODS


MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
ITLS70MF	7'0"	M	FAST	8-17	3/8-3/4	1	1	\$330
*ITLS70MHF	7'0"	MH	FAST	10-20	1/2-1 1/4	1	4	\$350
*ITLS70HMF	7'0"	H	MOD. FAST	17-40	5/8-1 1/2	1	4	\$350
ITLS73LF	7'3"	L	FAST	6-12	1/8-3/8	1	1	\$360
ITLS73MLF	7'3"	ML	FAST	8-14	1/8-1/2	1	2	\$350
ITLS73MF	7'3"	M	FAST	8-17	3/8-3/4	1	2	\$360
*ITLS73MHF	7'3"	MH	FAST	10-20	1/2-1 1/4	1	4	\$360
ITLS76MF	7'0"	M	FAST	8-17	3/8-3/4	1	3	\$370
*ITLS76MHF	7'6"	MH	FAST	12-25	1/2-1 1/4	1	5	\$370
*ITLS76HF	7'6"	H	FAST	12-25	3/4-2	1	5	\$380
*ITLS79XHMF	7'9"	XH	MOD. FAST	40-80	2-6	1	6	\$390
*ITLS711MHF	7'11"	MH	FAST	17-40	1/2-2	1	5	\$380
*ITLS711HMF	7'11"	H	MOD. FAST	17-40	3/4-3	1	6	\$380

*Select Models Feature Handle Gimbal



AVID SERIES[®] INSHORE

SPINNING & CASTING



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALCONITE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE


PRIMARY MATERIAL
PREMIUM CORK

ACCENT MATERIAL
NYLON

BUTT CAP
PREMIUM EVA



Seafoam Green Metallic



Handle measurements shown in inches

AVID SERIES[®] INSHORE CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
VIC70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	7	\$280
VIC70HF	7'	H	FAST	15-30	3/4-2	1	7	\$290
VIC76MHF	7'6"	MH	FAST	10-20	1/2-1 1/4	1	8	\$290
VIC76HF	7'6"	H	FAST	15-30	3/4-2	1	8	\$310
VIC80MHF	8'	MH	FAST	14-30	1/2-2	1	9	\$300
VIC80HF	8'	H	FAST	17-40	3/4-3	1	9	\$320

AVID SERIES[®] INSHORE SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
VIS66MF	6'6"	M	FAST	8-17	3/8-3/4	1	2	\$260
VIS66MHF	6'6"	MH	FAST	10-20	1/2-1 1/4	1	3	\$270
VIS70LM	7'	L	MOD.	6-12	1/8-3/8	1	1	\$260
VIS70MLF	7'	ML	FAST	6-12	1/8-1/2	1	2	\$260
VIS70MXF	7'	M	X-FAST	8-17	3/16-5/8	1	2	\$270
VIS70MF	7'	M	FAST	8-17	3/8-3/4	1	2	\$270
VIS70MM	7'	M	MOD.	8-17	1/4-5/8	1	1	\$260
VIS70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	4	\$280
VIS70HF	7'	H	FAST	15-30	3/4-2	1	5	\$290
VIS76MLF	7'6"	ML	FAST	6-12	1/8-1/2	1	3	\$270
VIS76MF	7'6"	M	FAST	8-17	3/8-3/4	1	3	\$280
VIS76MHF	7'6"	MH	FAST	10-20	1/2-1 1/4	1	5	\$290
VIS76HF	7'6"	H	FAST	15-30	3/4-2	1	6	\$310
VIS80MLF	8'	ML	FAST	6-12	1/8-1/2	1	5	\$280
VIS80MF	8'	M	FAST	8-17	3/8-3/4	1	5	\$280
VIS80MHF	8'	MH	FAST	14-30	1/2-2	1	6	\$300
VIS80HF	8'	H	FAST	17-40	3/4-3	1	6	\$320




MOJO INSHORE

SPINNING & CASTING



ROD



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
**RUBBER/
PREMIUM EVA**



Deep Aquamarine

Mojo Inshore Casting Handles



Handle measurements shown in inches

Mojo Inshore Spinning Handles



MOJO INSHORE CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
JIC70MLM	7'	ML	MOD.	8-14	1/8-1/2	1	1	\$180
JIC70MF	7'	M	FAST	8-17	3/8 - 3/4	1	2	\$190
JIC70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	3	\$190
JIC70HF	7'	H	FAST	15-30	3/4-2	1	4	\$210
JIC76MLM	7'6"	ML	MOD.	8-14	1/8-1/2	1	2	\$190
JIC76MHF	7'6"	MH	FAST	10-20	1/2-1 1/4	1	5	\$210
JIC76HF	7'6"	H	FAST	15-30	3/4-2	1	6	\$220
JIC79XHMF	7'9"	XH	MOD. FAST	40-80	2-6	1	6	\$235
JIC711HMF	7'11"	H	MOD. FAST	17-40	3/4-3	1	6	\$235

MOJO INSHORE SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
JIS66MF	6'6"	M	FAST	8-17	3/8-3/4	1	2	\$180
JIS66MHF	6'	MH	FAST	10-20	1/2-1 1/4	1	4	\$190
JIS66HF	6'6"	H	FAST	12-25	3/4-2	1	4	\$200
JIS70LF	7'	L	FAST	6-12	1/8-3/8	1	1	\$180
JIS70MLF	7'	ML	FAST	8-14	1/8-1/2	1	3	\$180
JIS70MF	7'	M	FAST	8-17	3/8-3/4	1	3	\$190
JIS70MM	7'	M	MOD.	8-17	1/4-5/8	1	2	\$180
JIS70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	6	\$190
JIS70MHHM	7'	MH	MOD.	10-20	1/2-1	1	6	\$190
JIS70HF	7'	H	FAST	12-25	3/4-2	1	7	\$210
JIS76MLF	7'6"	ML	FAST	8-14	1/8-1/2	1	5	\$200
JIS76MF	7'6"	M	FAST	8-17	3/8-3/4	1	5	\$200
JIS76MHF	7'6"	MH	FAST	10-20	1/2-1 1/4	1	7	\$220
JIS76HF	7'6"	H	FAST	12-25	3/4-2	1	8	\$235
JIS79XHMF	7'9"	XH	MOD. FAST	40-80	2-6	1	9	\$255
JIS711MF	7'11"	M	FAST	8-17	3/8-3/4	1	7	\$200
JIS711MHF	7'11"	MH	FAST	14-30	1/2-2	1	8	\$235
JIS711HMF	7'11"	H	MOD. FAST	17-40	3/4-3	1	9	\$245
JIS711HF	7'11"	H	FAST	17-40	3/4-3	1	8	\$235



TRIUMPH INSHORE

SPINNING & CASTING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

PRIMARY RING MATERIAL
ALUMINUM OXIDE

PRIMARY FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM CORK

BUTT CAP
CORK COMPOSITE



Sea Smoke

Triumph Inshore Casting Handles



Triumph Inshore Spinning Handles



Handle measurements shown in inches

TRIUMPH INSHORE CASTING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TRIC70MLM	7'	ML	MOD. FAST	8-14	1/8-1/2	1	3	\$140
TRIC70MF	7'	M	FAST	8-17	3/8-3/4	1	3	\$140
TRIC70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	4	\$150
TRIC70MMFSG	7'	M	MOD. FAST	8-17	3/8-3/4	1	2	\$150
TRIC68MLMFSG	6'8"	ML	MOD. FAST	8-14	1/8-1/2	1	1	\$140
TRIC68MMFSG	6'8"	M	MOD. FAST	8-17	1/4-5/8	1	1	\$140
TRIC68MHMFSG	6'8"	MH	MOD. FAST	10-20	1/2-1	1	1	\$150

TRIUMPH INSHORE SPINNING RODS


MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
TRIS70MLF	7'	ML	FAST	8-14	1/8-1/2	1	1	\$140
TRIS70MF	7'	M	FAST	8-17	3/8-3/4	1	1	\$140
TRIS70MHF	7'	MH	FAST	10-20	1/2-1 1/4	1	2	\$150
TRIS70HF	7'	H	FAST	12-25	3/4-2	1	3	\$150
TRIS76MF	7'6"	M	FAST	8-17	3/8-3/4	1	2	\$150
TRIS76MHF	7'6"	MH	FAST	10-20	1/2-1 1/4	1	3	\$160



NEW for 2023

RIFT SALT

CONVENTIONAL & SPINNING



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALCONITE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM EVA

ACCENT MATERIAL
NYLON

BUTT CAP
**NON-MARKING
RUBBER GIMBAL**

Gunmetal Grey

Rift Salt Conventional Handles



Rift Salt Spinning Handles



Handle measurements shown in inches

RIFT SALT CONVENTIONAL RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	PCS.	HANDLE	PRICE
RIFSC66MHF	6'6"	MH	FAST	30-65	1	1	\$300
RIFSC66HF	6'6"	H	FAST	50-100	1	1	\$300
RIFSC70MF	7'0"	M	FAST	15-40	1	2	\$300
RIFSC70MHF	7'0"	MH	FAST	30-65	1	2	\$310
RIFSC70HF	7'0"	H	FAST	50-100	1	2	\$310
RIFSC73MMF	7'3"	M	MOD. FAST	15-50	1	2	\$320
RIFSC73MHMF	7'3"	MH	MOD. FAST	20-80	1	2	\$320

RIFT SALT SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	PCS.	HANDLE	PRICE
RIFSS70MF	7'0"	M	FAST	15-40	1	1	\$300
RIFSS70MHF	7'0"	MH	FAST	30-65	1	1	\$305
RIFSS73MMF	7'3"	M	MOD. FAST	15-50	1	2	\$310
RIFSS73MLMF	7'3"	ML	MOD. FAST	10-30	1	2	\$305
RIFSS73MHMF	7'3"	MH	MOD. FAST	20-80	1	2	\$315
RIFSS76MF	7'6"	M	FAST	15-40	1	2	\$330
RIFSS710MHF	7'10"	H	MOD. FAST	40-120	1	3	\$350
RIFSS710MHMF	7'10"	MH	MOD. FAST	20-80	1	3	\$340
RIFSS710MHF	7'10"	MH	FAST	30-65	1	1	\$345

NEW for 2023

RIFT JIG

CONVENTIONAL & SPINNING



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALCONITE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
PREMIUM EVA

ACCENT MATERIAL
NYLON

BUTT CAP
**NON-MARKING
RUBBER GIMBAL**



Gunmetal Grey

Rift Jig Conventional Handles



1 2

Rift Jig Spinning Handle



1

Handle measurements shown in inches

RIFT JIG CONVENTIONAL RODS

MODEL	TECHNIQUE	LGTH.	PWR.	LINE WT. (LB.)	LURE WT. (GM)	PCS.	HANDLE	PRICE
RIFCJ56XXH	200 LB. FISH	5'6"	XXH	65-150	350	1	2	\$320
RIFCJ58H	100 LB. FISH	5'8"	H	40-80	225	1	2	\$310
RIFCJ58XH	150 LB. FISH	5'8"	XH	50-100	250	1	2	\$315
RIFCJ60MH	50 LB. FISH	6'0"	MH	30-65	200	1	1	\$310
RIFCJ66M	35 LB. FISH	6'6"	M	20-50	100	1	1	\$295
RIFCJ66MH	50 LB. FISH	6'6"	MH	30-65	200	1	1	\$320


RIFT JIG SPINNING RODS

MODEL	TECHNIQUE	LGTH.	PWR.	LINE WT. (LB.)	LURE WT. (GM)	PCS.	HANDLE	PRICE
RIFSJ56XXH	200 LB. FISH	5'6"	XXH	65-150	350	1	1	\$310
RIFSJ58H	100 LB. FISH	5'8"	H	40-80	225	1	1	\$305
RIFSJ58XH	150 LB. FISH	5'8"	XH	50-100	250	1	1	\$310
RIFSJ60MH	50 LB. FISH	6'0"	MH	30-65	200	1	1	\$305
RIFSJ66M	35 LB. FISH	6'6"	M	20-50	100	1	1	\$290
RIFSJ66MH	50 LB. FISH	6'6"	MH	30-65	200	1	1	\$305



MOJO SALT

CONVENTIONAL & SPINNING



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

SECONDARY MATERIAL
LINEAR S-GLASS

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
NYLON

HANDLE

PRIMARY MATERIAL
PREMIUM EVA

BUTT CAP
**NYLON/
PREMIUM EVA**



Black Cherry Metallic



1 2

Handle measurements shown in inches

MOJO SALT CONVENTIONAL RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	PCS.	HANDLE	PRICE
MSWC66MF	6'6"	M	FAST	15-30 MONO 20-40 BRAID	1	2	\$225
MSWC66MHF	6'6"	MH	FAST	30-50 MONO 40-65 BRAID	1	2	\$235
MSWC66HF	6'6"	H	FAST	50-80 MONO 65-100 BRAID	1	2	\$245
MSWC70MF	7'	M	FAST	15-30 MONO 20-40 BRAID	1	2	\$225
MSWC70MHF	7'	MH	FAST	30-50 MONO 40-65 BRAID	1	2	\$235
MSWC70HF	7'	H	FAST	50-80 MONO 65-100 BRAID	1	2	\$245
MSWC76MHF	7'6"	MH	FAST	30-50 MONO 40-65 BRAID	1	2	\$245
MSWC76MHMF	7'6"	MH	MOD. FAST	30-50 MONO 40-65 BRAID	1	2	\$250
MSWC76HMF	7'6"	H	MOD. FAST	50-80 MONO 65-100 BRAID	1	2	\$250
MSWC80MHMF	8'	MH	MOD. FAST	30-50 MONO 40-65 BRAID	1	2	\$260
MSWC80HMF	8'	H	MOD. FAST	50-80 MONO 65-100 BRAID	1	2	\$260

MOJO SALT SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	PCS.	HANDLE	PRICE
MSWS70MF	7'	M	FAST	15-30 MONO 20-40 BRAID	1	1	\$225
MSWS70MHF	7'	MH	FAST	30-50 MONO 40-65 BRAID	1	1	\$235
MSWS76MF	7'6"	M	FAST	15-30 MONO 20-40 BRAID	1	1	\$235
MSWS76MHF	7'6"	MH	FAST	30-50 MONO 40-65 BRAID	1	1	\$245
MSWS80MF	8'	M	FAST	15-30 MONO 20-40 BRAID	1	1	\$245
MSWS80MHF	8'	MH	FAST	30-50 MONO 40-65 BRAID	1	1	\$245



MOJO JIG

CONVENTIONAL & SPINNING



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

SECONDARY MATERIAL
LINEAR S-GLASS

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL


HANDLE

PRIMARY MATERIAL
PREMIUM EVA

BUTT CAP
**NYLON/
PREMIUM EVA**



Black Cherry Metallic



Handle measurements shown in inches

MOJO JIG CONVENTIONAL RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MJJC58HMF	5'8"	H	MOD. FAST	65-150 LB. BRAID	200-300	1	1	\$225
MJJC58XHMF	5'8"	XH	MOD. FAST	80-200 LB. BRAID	275-400	1	1	\$225
MJJC66MHMF	6'6"	MH	MOD. FAST	50-100 LB. BRAID	125-200	1	2	\$225
MJJC66MMF	6'6"	M	MOD. FAST	30-65 LB. BRAID	60-100	1	2	\$225

MOJO JIG SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	PCS.	HANDLE	PRICE
MJJS58HMF	5'8"	H	MOD. FAST	60-150 LB. BRAID	200-300	1	3	\$225
MJJS58XHMF	5'8"	H	MOD. FAST	80-200 LB. BRAID	275-400	1	3	\$225
MJJS66MHMF	6'6"	MH	MOD. FAST	50-100 LB. BRAID	125-200	1	4	\$225
MJJS66MMF	6'6"	M	MOD. FAST	30-65 LB. BRAID	60-100	1	4	\$225





BEST RODS ON EARTH

FLY





IMPERIAL[®] USA

FRESHWATER FLY

ROD



BLANK

PRIMARY MATERIAL
SCIV CARBON FIBER

SECONDARY MATERIAL
SCII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
ALUMINUM

PRIMARY NUT MATERIAL
ALUMINUM

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

SECONDARY MATERIAL
ALUMINUM

BUTT CAP
PREMIUM EVA



Chestnut Brown Metallic

24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1



Handle measurements shown in inches

IMPERIAL® USA FLY RODS

MODEL	PCS.	LGTH.	LINE WT. (LB.)	ACTION	HANDLE	PRICE
IU602.2	2	6'	2	FAST	1	\$320
IU663.2	2	6'6"	3	FAST	1	\$320
IU703.4	4	7'	3	FAST	1	\$320
IU764.4	4	7'6"	4	FAST	1	\$320
IU804.4	4	8'	4	FAST	2	\$320
IU864.4	4	8'6"	4	FAST	2	\$320
IU904.4	4	9'	4	FAST	2	\$320
IU865.2	2	8'6"	5	FAST	2	\$320
IU865.4	4	8'6"	5	FAST	2	\$320
IU905.2	2	9'	5	FAST	2	\$320
IU905.4	4	9'	5	FAST	2	\$320
IU906.2	2	9'	6	FAST	2	\$320
IU906.4	4	9'	6	FAST	2	\$320
IU1006.4	4	10'	6	FAST	3	\$320
IU907.4	4	9'	7	FAST	3	\$320
IU1007.4	4	10'	7	FAST	3	\$320
IU908.2	2	9'	8	FAST	3	\$320
IU908.4	4	9'	8	FAST	3	\$320
IU968.4	4	9'6"	8	FAST	3	\$320
IU1008.4	4	10'	8	FAST	3	\$320
IU909.2	2	9'	9	FAST	3	\$320
IU909.4	4	9'	9	FAST	3	\$320
IU9010.2	2	9'	10	FAST	3	\$320
IU9010.4	4	9'	10	FAST	3	\$320

IMPERIAL® USA FLY SWITCH RODS

MODEL	PCS.	LGTH.	LINE WT. (LB.)	ACTION	HANDLE	PRICE
IU1105.4	4	11'	5	FAST	4	\$370
IU1106.4	4	11'	6	FAST	4	\$370
IU1107.4	4	11'	7	FAST	4	\$370
IU1108.4	4	11'	8	FAST	4	\$370



All Imperial® USA fly rods come with a 1000 Denier nylon-covered rod case with a divided polypropylene liner.



IMPERIAL[®] SALT

SALTWATER FLY



ROD



BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

RING MATERIAL
ZIRCONIA

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
ALUMINUM

PRIMARY NUT MATERIAL
ALUMINUM

HANDLE

PRIMARY MATERIAL
SUPER GRADE CORK

SECONDARY MATERIAL
ALUMINUM

BUTT CAP
PREMIUM EVA

IMPERIAL[®] SALT FLY RODS

MODEL	PCS.	LGTH.	LINE WT. (LB.)	ACTION	HANDLE	PRICE
IS907.4	4	9'	7	FAST	1	\$385
IS908.4	4	9'	8	FAST	1	\$385
IS909.4	4	9'	9	FAST	1	\$385
IS9010.4	4	9'	10	FAST	2	\$385
IS9011.4	4	9'	11	FAST	2	\$385
IS9012.4	4	9'	12	FAST	2	\$385



Deep Aquamarine



All Imperial Salt fly rods come with a 1000 Denier nylon-covered rod case with a divided polypropylene liner.



1

2

Handle measurements shown in inches



MOJO TROUT

FRESHWATER FLY

IGFA 2018
New Product Showcase
Best of Category WINNER

ROD



BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
ALUMINUM

PRIMARY NUT MATERIAL
ALUMINUM

HANDLE


PRIMARY MATERIAL
SUPER GRADE CORK

SECONDARY MATERIAL
ALUMINUM

BUTT CAP
PREMIUM EVA

MOJO TROUT FLY RODS

MODEL	PCS.	LGTH.	LINE WT. (LB.)	ACTION	HANDLE	PRICE
MT602.2	2	6'	2	MOD. FAST	1	\$215
MT663.2	2	6'6"	3	MOD. FAST	1	\$215
MT703.4	4	7'	3	MOD. FAST	1	\$215
MT793.4	4	7'9"	3	MOD. FAST	1	\$215
MT804.4	4	8'	4	MOD. FAST	2	\$215
MT864.4	4	8'6"	4	MOD. FAST	2	\$215
MT904.4	4	9'	4	MOD. FAST	2	\$215
MT865.4	4	8'6"	5	MOD. FAST	2	\$215
MT905.4	4	9'	5	MOD. FAST	2	\$215
MT906.4	4	9'	6	MOD. FAST	2	\$215
MT907.4	4	9'	7	MOD. FAST	3	\$215



Moss Green Metallic

18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1



Handle measurements shown in inches



MOJO BASS FLY

FRESHWATER FLY



FRS



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCIII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
ALUMINUM

PRIMARY NUT MATERIAL
ALUMINUM

HANDLE

PRIMARY MATERIAL
PREMIUM GRADE CORK

SECONDARY MATERIAL
PREMIUM EVA

BUTT CAP
PREMIUM EVA

MOJO BASS FLY RODS


MODEL	PCS.	LGTH.	LINE WT. (LB.)	ACTION	HANDLE	PRICE
MBF7117.2	2	7'11"	7	MOD. FAST	1	\$180
MBF7118.2	2	7'11"	8	MOD. FAST	1	\$180
MBF7119.2	2	7'11"	9	MOD. FAST	1	\$180



Black Cherry Metallic



All Mojo Bass fly rods come with a cloth rod sack.



Handle measurements shown in inches





BEST RODS ON EARTH

FISHING





SYSTEMS



NEW for 2023

SOLE SALTWATER

SPINNING



HANDCRAFTED
by
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
AGGLOMERATED CORK

BUTT CAP
CORK COMPOSITE

REEL

PRIMARY MATERIAL
COMPOSITE

SPOOL MATERIAL
BRAID READY ALUMINUM

MAIN SHAFT MATERIAL
STAINLESS STEEL

GRIP MATERIAL
EVA PADDLE

BEARINGS & GEARING

BALL BEARING
6

ROLLER BEARING
1


GEAR RATIO
6.2:1



Blue Metallic

SOLE SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	REEL SIZE	LINE CAP BRAID (LBS./YDS.)	PCS.	HANDLE	PRICE
SOLS70MF-C	7'	M	FAST	8-17	3/8-3/4	3500	30/191, 40/164, 50/142	1	1	\$225
SOLS70MHF-C	7'	M	FAST	10-20	1/2-1 1/4	3500	30/191, 40/164, 50/142	1	2	\$235
SOLS70HF-C	7'	H	FAST	12-25	3/4-2	3500	30/191, 40/164, 50/142	1	3	\$245
SOLS76MHF-C	7'6"	MH	FAST	10-25	1/2-1 1/4	4500	30/240, 40/240, 50/169	1	3	\$250



Handle measurements shown in inches



NEW for 2023

X-TREK FRESHWATER

SPINNING

ROD



HANDCRAFTED
— by —
ST. CROIX
ESTD ★ 1948

BLANK

PRIMARY MATERIAL
SCII CARBON FIBER

GUIDES

RING MATERIAL
ALUMINUM OXIDE

FRAME MATERIAL
STAINLESS STEEL

REEL SEAT

PRIMARY MATERIAL
NYLON

PRIMARY NUT MATERIAL
NYLON

SECONDARY NUT MATERIAL
STAINLESS STEEL

HANDLE

PRIMARY MATERIAL
AGGLOMERATED CORK

BUTT CAP
CORK COMPOSITE

REEL

PRIMARY MATERIAL
COMPOSITE

SPOOL MATERIAL
BRAID READY ALUMINUM

MAIN SHAFT MATERIAL
STEEL

GRIP MATERIAL
RUBBER PADDLE

BEARINGS & GEARING

BALL BEARING
5

ROLLER BEARING
1


GEAR RATIO
6.2:1



Granite Grey

X-TREK SPINNING RODS

MODEL	LGTH.	PWR.	ACTION	LINE WT. (LB.)	LURE WT. (OZ.)	REEL SIZE	LINE CAP BRAID (LBS./YDS.)	PCS.	HANDLE	PRICE
CTCS66MLF2-C	6'6"	ML	FAST	4-10	1/8 - 1/2	2000	10/244, 20/142, 30/98	2	1	\$175
CTCS66MF2-C	6'6"	M	FAST	6-12	1/4 - 5/8	2000	10/244, 20/142, 30/98	2	1	\$180
CTCS70MF2-C	7'	M	FAST	6-12	1/4 - 5/8	2500	10/311, 20/196, 30/136	2	2	\$190
CTCS70MF-C	7'	M	FAST	6-12	1/4 - 5/8	2500	10/311, 20/196, 30/136	1	2	\$185



Handle measurements shown in inches



Get Out and Fish



[f](#) [t](#) [i](#) [stcroixrods.com](#)